NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-EIGHTH ANNUAL REPORT

FROM

THE REGISTRAR-GENERAL, ON VITAL STATISTICS.

Printed in accordance with Resolutions of both Houses of Parliament.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

VITAL STATISTICS.

THE REGISTRAR-GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1883:

WITH PREFATORY REPORT.

Sir, Registrar-General's Department, Sydney, 11 June, 1884.

I have the honor to submit the general Abstracts of Marriages, Births, and Deaths, registered in the Colony during the year 1883, with my report thereon.

The population of the Colony at the end of the year 1883 is estimated at 869,310 persons; comprising 480,497 males and 388,813 females, being 55.27 per cent. and 44.73 per cent. respectively. The excess of births over deaths was 19,032 persons.

Arrivals by sea numbered 67,206 persons, and departures in like manner were 34,396 persons, which leaves a balance of 32,810 persons on the side of arrivals. The total increase for the year was 51,842 persons, as against 36,203 persons in the previous year; the difference in favour of the year 1883 being 15,639 persons.

ESTIMATED Population of the Colony of New South Wales on 31st December, 1883.

	Males.	Females.	Total.	Males.	Females.	Total.
Births during the year, ended 31st December, 1883	16,014	15,267	31,281			
Arrivals by sea	46,543	20,663	67,206			
				62,557	35,930	98,487
Deaths during same period	7,116	5,133	12,249			
Departures by sea	24,286	10,110	34,396			
				31,402	15,243	46,645
Increase during the year				31,155	20,687	51,842
Estimated Population, 31st December, 1882				449,342	368,126	817,468
Estimated Population, 31st December, 1883	· · · · · · · · · · · · · · · · · · ·			480,497	388,813	869,310

The number of marriages registered in the Colony in the year 1883 was 7,405, being 457 in advance of the previous year. This increase is not so large by 207 as that of the year 1882 over 1881.

There were 31,281 births recorded in the year, as against 29,702 in the previous year, being an increase of 1,579 births.

The total number of deaths registered during the year was 12,249, being less by 567 than the deaths of the previous year.

So far as the records of marriages and births are concerned, I believe very few escape registration; but I fear a number of deaths occur of which no account is taken. My attention has been called to this subject for some years past. I am aware that the Registrars exercise great vigilance to ensure the registration of all deaths, and no doubt with some degree of success. In order to remedy the defects of the present system, I advise that the Registration Act (19 Vic. No. 34) be repealed by the substitution of one which would more effectually carry out the objects for which registration is designed.

(A.)

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South
Wales, during each Quarter of the year 1883.

Outside and I. I			Births.			Deaths.	
Quarter ended—	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney—							
31 March	499	484	459	943	298	260	558
30 June	537	486	443	929	299	225	524
30 September	481	495	431	926	283	220	503
31 December	522	509	449	958	366	282	648
Total	2,039	1,974	1,782	3,756	1,246	987	2,233
Suburbs—							
31 March	319	741	777	1,518	317	300	617
30 June	356	856	791	1,647	378	312	690
30 September	292	815	835	1,650	299	275	574
31 December	276	861	858	1,719	422	412	834
Total	1,243	3,273	3,261	6,534	1,416	1,299	2,71
Country Districts—							
31 March	1,081	2,512	2,405	4,917	1,207	743	1,950
30 June	989	2,675	2,504	5,179	1,116	751	1,86
30 September	1,054	2,768	2,656	5,424	1,048	665	1,71
31 December	999	2,812	2,659	5,471	1,083	688	1,77
Total	4,123	10,767	10,224	20,991	4,454	2,847	7,30
New South Wales—	o(t)	4.97					
31 March	1,899	3,737	3,641	7,378	1,822	1,303	3,12
30 June	1,882	4,017	3,738	7,755	1,793	1,288	3,08
30 September	1,827	4,078	3,922	8,000	1,630	1,160	2,79
31 December	1,797	4,182	3,966	8,148	1,871	1,382	3,25.
Total	7,405	16,014	15,267	31,281	7,116	5,133	12,24

MARRIAGES.

The decennial table of marriages shows the marriage rate of the Colony for the year 1883 to be 8.80 per 1,000 of estimated population, which is slightly higher than the figures for the previous year. This rate has not been exceeded by any one year in the decade, the average rate of which was 7.92, and this is 0.88 lower than the rate for the year under consideration.

The number of marriages celebrated in Sydney in the year 1883 was 2,039, being an increase of 86 on the preceding year. The rate per 1,000 of estimated population is 0·17 lower; the figures being 17·80 for 1882, and 17·63 for 1883. The average for the ten years is 14·93.

Marriages celebrated in the Suburbs numbered 1,243, as against 1,109 in the previous year. The rate per 1,000 of population is 9·19, which is 0·54 higher than the figures of the previous year. The ten years average stands at 7·35.

In the Country Districts there were 4,123 marriages registered, showing an increase of 237 on the previous year. The rate per 1,000 of population is 6.99, which is about the same as the figures for the previous year, and 0.39 higher than the average of the decade.

(B.)

Table showing the number of Marriages registered in the Colony of New South Wales during each

Quarter of the years 1874 to 1883.

Estimated Population at the middle of the year.	rch. 30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
1875 89,796 3 1876 93,269 3 1877 97,235 3 1878 102,056 3 1879 107,603 3 1880 113,455 4 1882 104,966* 4	77 339 24 324 21 349 39 344 558 386 41 350 16 398 37 471 93 513 99 537	306 297 296 350 350 342 381 470 477 481	302 287 298 310 324 384 408 449 470 522	1,224 1,232 1,264 1,343 1,418 1,417 1,603 1,827 1,953 2,039	14'19 13'72 13'55 13'81 13'89 13'17 14'13 17'41 17'80 17'63
		0,73	0,701		
1875 71,119 1 1876 73,872 1 1877 77,014 1 1878 80,833 1 1879 85,226 2 1880 89,861 1 1881 122,687* 2 1882 128,214 2	80 81 02 114 13 101 14 157 58 149 14 187 81 162 103 216 159 293 119 356	77 101 117 125 172 183 206 204 275 292	75 109 132 160 153 165 181 225 282 276	313 426 463 556 632 749 730 848 1,109	4.58 5.99 6.26 7.21 7.81 8.78 8.12 6.91 8.65 9.19
1,7	1,816	1,752	1,758	7,069	
1875	889 729 86 731 32 713 91 773 612 828 612 813 651 822 881 945 657 987 81 989	707 740 687 777 815 847 746 888 965 1,054	681 690 671 754 812 753 820 895 977 999	2,806 2,947 2,993 3,095 3,267 3,225 3,399 3,609 3,886 4,123	6.74 6.80 6.45 6.58 6.63 6.21 5.92 6.74 6.94
8,4	92 8,330	8,226	8,052	33,100	
1878 675,316 1,3 1879 712,019 1,3 1880 750,742 1,4 1881 763,006* 1,5 1882 797,377 1,7 1883 840,614 1,8	12 1,169 66 1,163 44 1,274 1,363 (67 1,350 48 1,382 121 1,632 09 1,793 1,882	1,090 1,138 1,100 1,252 1,337 1,372 1,333 1,562 1,717 1,827	1,058 1,086 1,101 1,224 1,289 1,302 1,409 1,569 1,729 1,797	4,343 4,665 4,630 4,994 5,317 5,572 6,284 6,948 7,405	7.61 7.75 7.51 7.76 7.87 7.57 7.42 8.23 8.71 8.80
1879 712,019 1880 750,742 1881 763,006* 1882 797,377 1883 840,614	1,3 1,4 1,5 1,7	1,367 1,350 1,448 1,382 1,521 1,632 1,709 1,793	1,367 1,350 1,372 1,448 1,382 1,333 1,521 1,632 1,562 1,709 1,793 1,717 1,899 1,882 1,827	1,367 1,350 1,372 1,302 1,448 1,382 1,333 1,409 1,521 1,632 1,562 1,569 1,709 1,793 1,717 1,729 1,899 1,882 1,827 1,797	1,367 1,350 1,372 1,302 5,391 1,448 1,382 1,333 1,409 5,572 1,521 1,632 1,562 1,569 6,284 1,709 1,793 1,717 1,729 6,948 1,899 1,882 1,827 1,797 7,405

^{*} This population is calculated on the basis of the Census taken 3rd April, 1881.

Marriages of Denominations,

The number of marriages celebrated by each religious denomination and at Registrars' Offices for the year 1883, and their respective percentages to the total number of marriages, will be found to be as follows:—Church of England, 2,949 (39.82); Roman Catholic, 1,414 (19.09); Presbyterian, 950 (12.83); Wesleyan, 712 (9.62); Congregationalist, 565 (7.63); Primitive Methodist, 157 (2.12); Baptist, 101 (1.36); Registrars' Offices, 486 (6.57). These numbers leave 72 marriages, which will be found distributed among certain other denominations named in Table C.

(C.)

Denomination.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.
							,			
Church of England	1,572	1,618	1,759	1,869	2,098	2,182	2,252	2,487	2,768	2,940
Roman Catholic	837	953	921	990	1,000	982	1,021	1,171	1,315	1,41
Presbyterian	886	906	761	854	821	722	768	872	955	95
Wesleyan	518	502	487	509	556	605	618	651	704	71
Primitive Methodist	60	93	IOI	110	94	III	101	146	134	15
Congregationalist	180	186	232	243	291	331	364	433	516	56
Baptist	52	46	39	70	89	90	93	85	79	10
Christian Israelite										
Unitarian	I	I			I	I				
Hebrew	10	II	14	20	20	22	17	27	22	2
Protestant Episcopal	5	16	16	3	7	2	2			
Catholic and Apostolic								2		
German Evangelical	14	17	19	20	II	13	9	13	14	I
Christians		4	4	3	II	7	9	3	2	
Welsh Church						í				
Independent									2	I
Free Christian Church		2	2					2	3	
Friends							******			
Salvation Army										
Bible Christians										
Anglo-Israelite	111 . 2									
Free Church of England										
Registrars' Offices	208	250	275	303	309	322	318	392	434	48
	4,343	4,605	4,630	4,994	5,317	5,391	5,57 2	6,284	6,948	7,40

MARRIAGE Table of Increase and Decrease.

Denomination.	1882.	1883.	per cent.	per cent.	Increase per cent.	Decrease per cent.
Church of England	2,768	2,949	39.84	39.82		0.03
Roman Catholic	1,315	1,414	18.93	10.00	0.19	
Presbyterian	955	950	13.74	12.83		0,01
Wesleyan	704	712	10.13	9.62		0.21
Primitive Methodist	134	157	1,03	2.13	0.10	
Congregationalist	516	565	7.43	7.63	0'20	
Baptist	79	IOI	1.14	1.36	0'22	
Hebrew	22	24	0.31	0.35	0,01	
German Evangelical	14	10	0.50	0.14		0.06
Christians	5	9	0.02	0.15	0.02	
Independent—unconnected	2	12	0.03	0.19	0,13	
Friends		I		0,01	0.01	
Salvation Army		3		0.04	0.04	
Bible Christians		2		0.03	0.03	
Anglo-Israelite		2		0.03	0.03	
Free Church of England		3		0.04	0.04	
Unitarian		5		0.02	0.02	
Registrars' Offices	434	486	6.52	6.24	0.35	
	6,948	7,405	100,00	100,00	1.20	1.20

Bachelors, Spinsters, &c. Of the total number of persons married in the Colony during the year 1883, we find that 45.88 per cent. were bachelors, 45.79 per cent. were spinsters, 4.04 per cent. widowers, and 4.17 per cent. widows. There were also 11 divorced men and 5 divorced women married.

Table of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Women.
Sydney	2,039 1,243 4,123	1,844 1,153 3,79 ⁸	1,830 1,145 3,807	191 87 321	206 96 316	4 3 4	3 2
	7,405	6,795	6,782	599	618	11	5

From the total number married during the year (14,810), we find 2,289 (15.45) were under the age of twenty-one years. Of the number of minors married, 203, or 8.87 per cent., were males, and 2,006, or 91.13 per cent., were females. There were 110 minors during the year who were unable to sign their names; of these, 9 were males and 101 females.

TABLE of MINORS.

	No. of		Minors.	
	Marriages.	Males. Females. 53 415 34 265 116 1,406	Females.	Total.
Sydney	2,039	53	415	468
Suburbs	1,243	34	265	299
Country Districts	4,123	116	1,406	1,522
	7,405	203	2,086	2,289

TABLE of MINORS and MARKS.

	Males.	Females.	Total.
Sydney	I	14	15
Suburbs	3	25	28
Country Districts	5	62	67
	9	101	110

Of the total number of persons married, there were 903, or 6 per cent., who were incapable of signing their names. Of persons married in the city of Sydney, 5 per cent. used marks for signatures; and the same happened in the Suburbs and Country Districts to the extent of 4 per cent. and 7.28 per cent. respectively.

	No. of		Signatures.			Marks.		Marks
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.	per cent.
Sydney	2,039	1,958	1,917	3,875	81	122	203	5.00
Suburbs	1,243	1,198	1,189	2,387	45	54	99	4.00
Country Districts	4,123	3,830	3,815	7,645	293	308	601	7.28
Total	7,405	6,986	6,921	13,907	419	484	903	6.00

BIRTHS.

There were 31,281 births registered in the Colony in the year 1883, being 1,579 in excess of the births of the previous year. Male births numbered 16,014, and female 15,267, being 51:19 and 48:81 per cent. respectively. The year's birth-rate of the Colony per 1,000 of estimated population was 37:21. This is slightly lower than that for the previous year, and also under the rate of any year (except one) in the decade, the average rate of the decade being 37:68. The rate for Sydney was 32:48, which is 1:74 lower than that for the previous year, and 2:09 under the average rate of the decade. The Suburban birth-rate was 48:34, which is 2:51 in advance of the previous year's rate, and with but one exception the highest of the decade, the average of which is 43:70. In the Country Districts we find the rate to be 35:58, being a shade lower than that for the preceding year, and also lower than any year of the decade, the average of which is 37:01.

Table D, immediately following, shows the number of births registered in the Colony during each quarter of the decade, and the same information is given as regards Sydney, Suburbs, and Country Districts. (D.)

Table showing the number of Births registered in the Colony of New South Wales during each Quarter of the years 1874 to 1883.

	Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
(1874	86,213	762	775	824	760	3,121	36.50
1875	89,796	748	858	797	759	3,162	35.51
1876	1	838	865	873	734	3,310	35.48
1877		818	796	896	889	3,399	34.95
1878		846	851	956	831	3,484	34.13
Sydney 1879		857	943	1,007	907	3,714	34.5
1880		870	985	960	920	3,735	32.0
1881	104,966	938	920	946	937	3,741	35.6
1882	109,694	955	961	959	879	3,754	34.2
L ₁₈₈₃	115,642	943	929	926	958	3,756	32.48
		8,575	8,883	9,144	8,574	35,176	
(1874	68,281	637	713	729	708	2,787	40.80
1875	71,119	685	740	785	698	2,908	40.89
1876		721	772	832	733	3,058	41.30
1877	77,014	719	821	868	838	3,246	42.1
1878	80,833	854	900	1,014	906	3,674	45.45
Suburbs 1879	85,226	955	1,009	1,130	1,053	4,147	48.66
1880	89,861	1,026	1,197	1,182	1,214	4,619	51.40
1881	122,687	1,178	1,250	1,387	1,356	5,171	42'15
1882	128,214	1,383	1,458	1,532	1,503	5,876	45.83
(1883	135,166	1,518	1,647	1,650	1,719	6,534	48.34
		9,676	10,507	11,109	10,728	42,020	
(1874	415,976	3,824	3,903	4,331	4,212	16,270	39.11
1875	433,264	3,893	4,113	4,282	4,170	16,458	37.98
1876	450,025	4,091	4,048	4,505	4,286	16,930	37.62
1877	469,163	4,083	4,220	4,657	4,246	17,206	36.6
Country Districts	492,427	4,262	4,414	5,006	4,488	18,170	36.8
1879	519,119	4,419	4,639	5,127	4,887	19,072	36.73
1880	547,426	4,694	4,934	5,088	5,092	19,808	36.18
1881	535,353	4,860	4,813	5,181	5,227	20,081	37.5
1882	559,469	4,857	4,854	5,336	5,025	20,072	35.8
(1883	589,806	4,917	5,179	5,424	5,471	20,991	35.25
		43,900	45,117	48,937	47,104	185,058	
(1874	570,470	5,223	5,391	5,884	5,680	22,178	38.8
1875		5,326	5,711	5,864	5,627	22,528	37.9
1876		5,650	5,685	6,210	5,753	23,298	37.7
1877		5,620	5,837	6,421	5,973	23,851	37.0
New South Wales		5,962	6,165	6,976	6,225	25,328	37.59
1879	712,019	6,231	6,591	7,264	6,847	26,933	37.8
1880	750,742	6,590	7,116	7,230	7,226	28,162	37.5
1881	763,006	6,976	6,983	7,514	7,520	28,993	37'9
1882		7,195	7,273	7,827	7,407	29,702	37.2
L1883	840,614	7,378	7,755	8,000	8,148	31,281	37'2
		62,151	64,507	69,190	66,406	262,254	

The number of children born out of wedlock in the Colony during the year 1883 was 1,318. This number forms 4.21 per cent. of the total number of births registered, and is nearly the same as the percentage of the previous year. (E.)

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1874, to 31st December, 1883.

Year.		Sydney.			Suburban.		Co	ountry Distri	icts.		Total.	
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total
1254								1		1		1
1874	117	124	241	40	48	88	305	301	606	462	473	935
1875	132	128	260	41	44	85	321	281	602	494	453	947
1876	170	136	306	43	45	88	309	247	556	522	428	950
1877	161	144	305	34	43	77	315	292	607	510	479	989
1878	165	152	317	54	54	108	317	279	596	536	485	1,021
1879	195	194	389	65	52	117	345	364	709	605	610	1,215
1880	204	207	411	69	81	150	351	314	665	624	602	1,226
1881	203	222	425	84	83	167	353	318	671	640	623	1,263
1882	220	220	440	75	86	161	340	320	660	635	626	1,261
1883	240	199	439	118	119	237	342	300	642	700	618	1,318
	1,807	1,726	3,533	623	655	1,278	3,298	3,016	6,314	5,728	5,397	11,125

There were 287 cases of twins recorded in the year 1883, and two instances in which birth was Twins, &c. given to triplets.

(F.)

Table showing the number of Triplets and Twins born in the Colony of New South Wales, from 1st January, 1874, to 31st December, 1883.

V	Triplets.					Twins.				
Year.	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.		
1874	4	9	3	12	177	182	171	353		
1875	I		3	3	200	180	219	399		
1876	I	I	I	2*	195	188	193	381		
1877					209	222	193	415		
1878	2	3	I	4†	196	195	197	392		
1879	2	I	5	6	203	206	198	404		
1880					224	230	218	448		
1881	4	8	4	12	224	219	227	446		
1882					213	217	208	425		
1883	2	3	3	6	287	277	297	574		
-	16	25	20	45	2,128	2,116	2,121	4,237		

* One still-born.

† Two still-born.

‡ Nine still-born. § Three still-born.

|| Two still-born.

DEATHS.

During the year 1883 there were 12,249 deaths recorded in the Colony. Male deaths numbered 7,116 and female deaths 5,133, being 58.09 and 41.91 per cent. respectively. The death-rate for the year is 14.57, which is 1.50 under the rate of the previous year, and lower than any one year of the decade It is also 1.16 under the average rate of the decade. The city records show 2,233 deaths, consisting of 55.80 per cent of males and 44.20 per cent. of females. The rate per 1,000 of estimated population is 19.30. This is lower than the rate of the previous year by 3.72, and also 3.98 under the average rate of the decade. The death-rate of the City is raised from deaths which occur in the Hospitals, Asylums, &c. These deaths formed 22 per cent. of the total deaths of the City. The mortality of the Suburbs is shown by the registration of 2,715 deaths, which amounts to 20.08 of estimated population. These figures are in excess of the rate for the previous year by 0.61, but a little under the average of the last ten years. In the Country Districts there were 7,301 deaths registered, which makes the rate per 1,000 of population to be 12.38. This is 1.55 lower than the rate of the previous year, and 1.06 under the figures of the ten years' average.

(G.)
Table showing the number of Deaths registered in the Colony of New South Wales, during each
Quarter of the Years 1874 to 1883.

				Estimated Population at the middle of each year.	31 March.	30 June.	30 Sept.	30 Dec.	Total.	Ratio per 1,000 living.
							53			
Sydney			1874 1875 1876 1877 1878 1879 1880 1881 1882	86,213 89,796 93,269 97,235 102,056 107,603 113,455 104,966 109,694	460 900 758 525 644 624 590 600 684	401 560 699 519 584 530 540 520 614	492 562 565 419 540 468 680 530 604	724 651 469 537 553 644 930 596 623	2,077 2,673 2,491 2,000 2,321 2,266 2,740 2,246 2,525	24'09 29'76 26'70 20'57 22'74 21'05 24'24 21'39 23'02
			(1883	115,642	558	524	503	648	2,233	19.30
					6,343	5,491	5,363	6,375	23,572	
Suburbs			(1874 1875 1876 1877 1878 1879 1880 1881 1882 1883	68,281 71,119 73,872 77,014 80,833 85,226 89,861 122,687 128,214 135,166	298 533 516 331 414 405 498 637 667 617	291 332 505 375 481 428 460 502 604 690	262 295 332 258 349 346 465 428 526 574	348 487 332 357 407 469 757 539 700 834	1,199 1,647 1,685 1,321 1,651 1,648 2,180 2,106 2,497 2,715	17.56 23.15 22.81 17.15 20.42 19.33 24.25 17.16 19.47 20.08
					4,916	4,668	3,835	5,230	18,649	
Country Dis	tricts	603	1874 1875 1876 1877 1878 1879 1880	415,976 433,264 450,025 469,163 492,427 519,190 547,426	1,350 1,749 1,738 1,987 1,895 1,828	1,409 1,879 1,954 1,765 1,953 1,605 1,621	1,309 1,452 1,739 1,450 1,447 1,418 1,426	1,308 1,371 1,586 1,346 1,496 1,435 1,675	5,376 6,451 7,017 6,548 6,791 6,286 6,311	12'92 14'89 15'59 13'95 13'77 12'10
			1881	535,353 559,469	1,932 2,134	1,803 2,072	1,650 1,781	1,799	7,184 7,794	13.42
			[1883	589,806	1,950	1,867	1,713	1,771	7:301	12.38
1100					18,152	17,928	15,385	15,594	67,059	
	2		(1874 1875 1876 1877	570,470 594,179 617,166 643,412	2,108 3,182 3,012 2,843	2,101 2,771 3,158 2,659	2,063 2,309 2,636 2,127	2,380 2,509 2,387 2,240	8,652 10,771 11,193 9,869	15.16 18.13 18.13
New South	Wales		1878	675,316	2,953	3,018	2,336	2,456	10,763	15.94
7973			1879 1880 1881 1882 1883	712,019 750,742 763,006 797,377 840,614	2,857 2,677 3,169 3,485 3,125	2,563 2,621 2,825 3,290 3,081	2,232 2,571 2,608 2,911 2,790	2,548 3,362 2,934 3,130 3,253	10,200 11,231 11,536 12,816 12,249	14.32 14.96 15.12 16.07
m \ =			157,2	03	29,411	28,087	24,583	27,199	109,280	1 43/

Infantile mortality The total number of deaths registered in the Colony of children under the age of 5 years was 5,304. As compared with these deaths in the previous year, we find a decrease of 148. The percentage of these deaths to the total number of deaths is 43:30. Though there is an actual decrease in the number as compared with the previous year, there is an increase of 0.76 on the percentage of that year. The average percentage of infantile mortality of the decade is 43:49, which is higher by 0.19 than the figures for the year under review. The percentage of these deaths registered in Sydney to total deaths is 42:09, which is 2:88 higher than the previous year, but slightly lower than the average of the ten years.

There were 1,455 deaths of children under 5 years of age registered in the Suburbs during the year. As compared with the total number of deaths registered, we have a percentage of 53:59. This is the lowest of any year in the decade, and 0:67 under the figures of the previous year, and also 1:60 lower than the average percentage of the decade. The percentage of these deaths registered in the Country Districts was 39:84, being nearly the same as the previous year's figures, and 0:72 lower than the average percentage of the decade.

(H.) INFANTILE MORTALITY.

			Percentage of total		Sydne	ey.		Subur	rbs.	C	ountry Di	stricts.
Year.	Total Deaths of the year.	Total Deaths under 5 years.	Deaths under 5 years to Deaths of the year.	Total Deaths of year,	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40:31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
1876	11,193	4,670	41.72	2,491	1,024	41.10	1,685	917	54.42	7,017	2,729	38.89
1877	9,869	4,293	43.49	2,000	815	40.75	1,321	723	54.73	6,548	2,755	42:07
1878	10,763	4,884	45.37	2,321	1,022	44.00	1,651	920	55.72	6,791	2,942	43:32
1879	10,200	4,369	42.83	2,266	899	39.67	1,648	902	54.73	6,286	2,568	40.85
1880	11,231	4,910	43.71	2,740	1,293	47.19	2,180	1,276	58.53	6,311	2,341	37:09
1881	11,536	4,889	42:38	2,246	848	37.75	2,106	1,147	54.46	7,184	2,894	40.28
1882	12,816	5,452	42.54	2,525	990	39.21	2,497	1,355	54.26	7,794	3,107	39.86
1883	12,249	5,304	43*30	2,233	940	42.09	2,715	1,455	53.59	7,301	2,909	39.84
	109,280	47,497		23,572	10,024		18,649	10,280		67,059	27,193	
Mean of 10 years		47:49		2,357	1,002		1,864	1,028		6,705	2,719	

Comparing infant deaths at each year with the total number of deaths registered in the Colony, we find the following results:—

Under 1 year	 	 	 	 	29.31
From 1 to 2 years	 	 	 	 	8:60
" 2 to 3 "	 	 	 	 	2.51
" 3 to 4 "	 	 	 	 	1.63
" 4 to 5 "	 	 	 	 *.* *	1.25

Following the same comparison in Sydney, Suburbs, and Country Districts, the following are the percentages:—

				Syaney.	Suburbs.	Country.
Under 1 year	 	 		29.90	37.27	26.16
From 1 to 2 years	 	 	- ***	7.70	11.38	7.83
" 2 to 3 "	 	 		1.88	2.65	2.65
" 3 to 4 "	 	 		1.48	1.28	1.80
" 4 to 5 "	 	 		1.12	0.99	1.38

Table showing the Deaths at all Ages from 1 to 100 years and upwards, in Sydney, Suburbs, and the Country Districts, for the year ended 31st December, 1883.

		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age not specified.	Grand Total.
Males— Sydney	•••••	373	94	24	15	10	23	21	19	43	62	66	63	84	53	65	49	57	38	32	13	15	5	1			21	1246
Suburbs		531	141	33	17	16	38	15	26	39	61	52	46	70	51	50	39	45	47	26	26	31	4		3		9	1416
Country	Districts	1065	277	106	62	54	134	82	99	154	173	146	185	184	206	212	155	241	222	240	174	133	65	20	1	2	62	4454
Total		1969	512	163	94	80	195	118	144	236	296	264	294	338	310	327	243	343	307	298	213	179	74	21	4	2	92	7116
Females— Sydney		295	78	18	18	15	13	18	27	49	49	40	49	44	41	42	28	43	26	38	20	14	6	1	1	1	13	987
Suburbs		481	168	39	18	11	34	23	37	46	65	38	52	35	37	33	28	51	34	23	22	14	6	2			2	1299
Country	Districts	845	295	88	70	47	134	66	78	128	107	98	103	95	81	64	82	105	81	88	66	55	25	11	3	1	31	2847
Total		1621	541	145	106	73	181	107	142	223	221	176	204	174	159	139	138	199	141	149	108	83	37	14	4	2	46	5133

Table showing the Births and Deaths of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1883, distinguishing the Deaths under 5 years of age.

							Dea	ths.			
Wards.	Population Census 1881.		Births.		1	Under 5 year	s.	A	bove 5 years		Total Deaths
	1001.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
ı. Gipps	10,983	201	194	395	46	28	74	57	31	88	162
2. Bourke	5,300	45	32	77	18	15	33	255	157	412	†44.
3. Brisbane		75	84	159	19	22	41	34	29	63	IO
4. Macquarie		130	105	235	29	25	54	41	26	67	12
5. Cook	25,537	561	467	1,028	133	108	241	114	112	226	46
5. Fitzroy	15,880	249	210	459	51	50	IOI	96	93	189	129
7. Phillip	11,075	329	295	624	89	79	168	56	48	104	§27:
3. Denison	15,780	384	395	779	131	97	228	77	67	144	37
Totals	*99,857	1,974	1,782	3,756	516	424	940	730	563	1,293	2,23

* Exclusive of the Islands in Port Jackson and shipping. † 291 of these deaths occurred in the Sydney Hospital, and 72 in the Hyde Park Asylum. † St. Vincent's Hospital, 45 deaths; Sydney Gaol, 13; and Lunatic Reception House, Darlinghurst, 8. § Benevolent Asylum, 62.

	Population Census 1881.		Births.		s under ears.	Deaths.
ı. Sydney	103,379		3,756		940	2,233
2. Balmain		5	800		157	275
Leichhardt	16,929	5	190	1 2	42	81
3. Glebe	10,856		622		144	260
4. Newtown	15,745		853		171	424
5. Redfern	}	(680		153	275
6. Waterloo	23,638	1	598		185	291
7. Paddington)	1	570		127	245
Randwick			72		9	29
Waverley	20,220	1	154		40	61
Woollahra			181		34	77
8. Canterbury		(551		147	239
9. Petersham	} 22,434	1	755		168	288
10. St. Leonards		(464	16.	68	147
Manly	}	1	44		10	23

	,																		Perc	centag	e of—																			
Ward.	1	eaths	unde	5 yea	rs to t	otal D	eaths i	n each	Ward			Deat	hs un	der 5 y	ears t	o Birti	hs in e	each W	ard.				Total	Death	ıs to Bi	rths in	ı each	Ward				Tota		ths to Censu				each V	Ward	
	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877	. 1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	188
1. Gipps	52.34	56.13	42.13	51.40	43.30	38.17	57.72	42.64	45.68	45.68	29.71	37.37	23.04	22.66	24.25	16.94	36.60	22.52	23.44	18.73	56.76	66.58	54.68	44.09	56.00	44.39	63.40	52.82	51.30	41.01	2:38	2.82	2.41	2.00	2.50	2.07	2.74	1.79	1.79	1.4
*2. Bourke	9.44	12.50	6.57	9.46	9.05	5.43	6.41	4.69	4.52	7.42	36.21	55.09	25.20	35.00	31.75	25.74	30.48	25.26	30.77	42.86											8.46	9.89	9.26	8.44	8.41	9.11	9.49	9.66	10.02	8-4
3. Brisbane	56.73	49.05	45.15	41.10	52.38	44.60	48.54	45.04	41.13	39.42	41.99	38.01	36.47	39.13	30.43	27.55	36.72	31.05	27.13	25.79	74.02	77.49	80.78	70.87	58.10	61.77	75.66	68.95	65.96	65.41	2.86	2.89	2.83	2.24	2.02	1.91	2.35	1.81	1.72	1.4
4. Macquarie	43.24	50.27	49.71	48.61	51.65	48.25	52.06	46.85	41.18	44.63	22.94	33.21	29.29	24.65	29.77	26.44	39.61	26.27	23.33	22.98	53.05	66.07	58.92	50.70	57.63	54.79	76.08	56.08	56.67	51.49	1.86	2.33	2.20	1.81	1.90	1.80	2.44	1.77	1.68	1.5
5. Cook	61.16	58.27	58.27	52.25	55.45	54.48	57.68	49.39	48.28	51.61	30.62	41.00	34.65	20.56	26.67	23.12	31.96	19.98	25.62	23.44	50.07	70.37	59.47	39.35	48.09	42.44	55.41	40.45	53.07	45.43	2.47	3.62	3:37	2.56	2.99	2.96	3.94	1.61	2.16	1.8
6. Fitzroy	47'53	46.91	40.97	38.34	39.02	36.73	44.58	31.19	36.99	34.83	28.72	39.48	33.48	21.41	26.78	22.08	30.20	20.44	24 84	22.00	60.42	84.16	81.72	55.85	68.62	60.12	67.75	65.53	67.16	63.18	2.37	2.23	3.09	2.11	2.73	2.45	2.77	2.06	2.01	1.8
7. Phillip	57.14	61.59	49.82	58.95	64.16	58.76	65.22	63.09	62.83	61.76	27.55	38.28	28.25	27.44	34.62	27.27	35.71	23.48	29.11	26.92	48.22	62.15	56.71	46.54	53.96	46.41	54.76	37.22	46.34	43.59	2.66	3.54	3.42	2.81	3.59	3.57	4.23	2.10	2.74	2-4
8. Denison	56.56	64.53	54.02	54.03	56.42	51.84	60.96	55.48	53.46	61.29	26.48	44.31	30.92	25.00	32.94	27.34	38.25	23.58	27.93	29.27	46.81	68.68	57.24	46.27	58.38	52.73	62.75	42.50	52.24	47.75	1.95	2.92	2.57	2.08	2.92	2.95	3.69	1.85	2.29	2-9

* The Sydney Hospital is situated in Bourke Ward.

(J.)

																			Perc	entage	of—																		
Ward.	De	eaths 1	ınder (5 years	to to	tal De	aths in	each	Distric	et.		Deat	hs und	ler 5 y	ears to	Birth	is in e	ach Di	strict.			Т	otal D	eaths	to Bir	ths in	each I	Distric	t.			Total	Death	s to I Censu	opula s, 1871	tion i	in eac. 1881.)	h Dis	trict.
	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1874.	1875.	1876.	1877.	1878.	879.	880. 1	881.	1882. 188
1. Sydney	44.72	47.29	41.10	40.70	44.00	39.67	47.19	37.75	39.21	42.09	29.76	39.97	30.93	23.24	29.33	24.20	34.62	22.67	26.10	25.02	66.55	84.53	75.25	58.84	66.62	61.01	73.09	60.04	67.26	59.45	2.72	3.50	3.27	2.62	3.05 2	97 3	3.59	2.17	2.44 2.
2. Balmain * Leichhardt		61.43	63.05	52.94	64.35	55.03	62.41		54·02 63·33			33.24	34.13	18.24		17.63				19·62 22·10		54.12	54.13	34.45	42.02	32.03	39.00		36·88 42·25	(2.13	3.05	2.94	2.22	3.14 2	:74 3	3.83	1.74	1.93 2
3. Glebe	57.44	63.52	53.25	56.52	50.31	55.30	56.00	57.87	59.07	55:38	27.93	33.44	28.21	26.13	24.69	23.96	32.60	22.09	30.11	23.15	48.62	52.64	53.00	46.45	49.09	43.36	58.30	38.18	50.98	41.80	2.46	2.77	2.95	2.51	2.85 2	97 4	.21	1.81	2.38 2
. Newtown	57.83	52.90	53.55	57.17	51.37	55.60	58.33	58.53	56.18	40.33	23.13	39.24	27.83	24.73	25.24	25.74	27.04	24.17	28.01	20.04	40.00	74.19	51.97	43.34	49.14	46.29	46.36	41.29	49.86	49.70	2.09	3.69	2.66	2.59	3.24 3	15 3	3.94	1.82	2.36
5. Redfern	57.00	60.90	54.16	60.00	58.94	58.62	61.42	57.40	61.05	55.64	23.72	32.00	27.95	23.23	25.35	24.54	27.52	25.41	25.03	22.50	41.63	52.50	51.61	38.70	42.97	41.84	44.80	44.26	41.00	40.44	2.21	2.72	2.96	2.22	2.68 3	07 3	3.45)		
6. Waterloo	67:54	68.04	55.34	57.92	67.20	56.84	64.31	54.76	62.77	63.57	33.44	36.87	32.30	26.53	31.65	23.72	31.01	21.45	25.48	30.93	49.50	54.19	58:35	45.81	47.09	41.73	44.00	39.18	40.50	48.66	2.39	3.08	3.26	2.60	2.95 3	12 3	3.67	2.03	2.18
7. Paddington	51.04	54.06	54.64	52.90	55.56	54.14	56.80	48.57	49.78	51.84	26.07	32.33	33.48	19.29	23.06	20.28	34.42	20.20	20.24	22.28	51.07	59.87	66.06	36.47	41.51	37.47	60.60	41.58	40.66	42.98	1.98	2.27	2.77						
* Randwick									31.57	31.03					23.06	25.00	30.00	15.38	13.63	12.50					54.76	50.00	53.33	65.38	43.18	40.27			}	1.69	2.19 2	:15	3.35 1	.52	1.75 2
* Waverley	33.33	32.26	20.68	36.84	43.48	53.25	56.86	43.87	35.18	65.57	17.64	37.03	13.04	18.18	22.95	18.56	30.36	30.38	18.09	25.97	53.00		63.04	49.35	47.54	41.42	56.82	46.83	51.42	39.61	1.04	1.79	1.68						
* Woollahra									43.75	44.15								14.01	15.90	18.78								41.12	36.36	42.54									
8. Concord	40.10	44.70	55.00	58.25	59.17	55.73	58.49	55.32	53.52	61.50	13.12	23.89	37.42	32.08	35.86	26.98	31.74	29.34	24.25	26.68	32.50	53.46	68.10	55.08	60.61	48.41	54.27	53.05	45.31	43.37	1.47	2.41	3.15	2.92	3.41 3	3.46	1.52)		
9. St. George	48.43	39.00	53.60	45.55	41.12	50.86	53.27	52.18	50.00	58.33	16.06	21.10	26:80	17.89	15.68	16.43	22.00	16.10	18.75	22.25	33.16	54.13	50.00	39.29	38.15	32:31	40.60	30.87	37.50	38.14	1.19	2.21	2.36	1.88	2.32 2	2.12	3.31	1.65	2.10 2
0. St. Leonards	44.94	35.90	50.00	50.00	1							13.40	25.20	1							43-41	37.32	50.41	-				37.09	40.87	31.68	1.73	1.52	2.38	1.25	2.28	2:12 2	2.82 1	•51	1.77 1
* Manly					40.00	56.25	32.00	20.69	48.14	43.48					10.81	32.14	21.62	21.43	25.49	22.73					27.03	57.14	67.59		52.94	52.27				5	20 2		02 1	01	1

^{*} Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra, a Sub-district of Paddington, 1st August, 1878; Manly, a Sub-district of St. Leonards, 1st July; Leichhardt, a Sub-district of Balmain, 1st July, 1882. † By Census of 1881, Concord was included in the Electoral District of Canterbury, and St. George in that of Petersham.

The following figures show the number of deaths during the year 1883, resulting in the several undermentioned classes:—

:				No. of deaths.	Percentage to total deaths.
Zymotic Diseases.			 	2,323	18.96
Constitutional do		• • •	 	1,668	13.62
Local do		• • •	 	4,912	40.08
Developmental do			 	2,415	19.73
Violent do		***	 	850	6.95
Unspecified or und	lefined		 	81	0.66

The principal causes of death under the Zymotic Class of diseases during the year 1883 were as follows:—Measles, 47; Scarlatina, 46; Diphtheria, 235; of this number, 140 were cases of children under 5 years of age. Croup, 220; Whooping Cough, 52; Typhus and Infantile Fever, 397; Influenza, 40; Dysentery, 100; Diarrhœa, 670; Cholera, 80; Rheumatism, 59; Syphilis, 28; Want of Breast Milk, 48; Alcoholism, 81; Delirium Tremens, 13; Thrush, 37. Comparing the number of deaths registered under this class with the previous year's records, we find a decrease of 293.

Under the *Constitutional Class* we find 1,668 deaths recorded. Phthisis heads the list with 941 cases; next in order comes Cancer, with 215 cases; then Tabes Mesenterica, numbering 189, and Dropsy, 143. There is an increase of 32 in this class on the previous year's figures.

The Local Class of diseases shows a total of 4,912 deaths. The principal causes being as follows:—Cephalitis, 213; Apoplexy, 235; Paralysis, 155; Epilepsy, 92; Convulsions, 690; Brain Disease, &c., 176; Heart Disease, 583; Bronchitis, 620; Pneumonia, 617; Congestion of Lungs (Pulmonary), 121; Gastritis, 168; Enteritis, 293; Peritonitis, 87; Hepatitis, 54; Liver Disease, &c., 132; Nephria, 101. The total deaths in this class are 270 in excess of those for the previous year.

The number of deaths recorded under the *Developmental Class* is 2,415, which is a few in excess of the previous year's figures. Premature Birth and Teething are credited with 315 and 247 respectively; Atrophy and Debility, 832, of which 721 are deaths of children under 1 year. Old age numbers 868 deaths, of which 186 were from 70 to 75 years of age, and 483 from 75 years and upwards.

Under the class of *Violence* there were 850 deaths during the year. The number of deaths from accident or negligence were as follows:—Fractures and Contusions, 310; Wounds, Gunshot and Cuts, 39; Burns and Scalds, 85; Sunstroke, 21; Poison, 44; Drowning, 213; Suffocation, 35; Snake or Insect Bite, 4.

Homicide shows 17 cases, viz.:—Murder, 9; Manslaughter, 8. There were 54 Suicides, from the following causes:—Wounds, 22; Poison, 6; Drowning, 2; Hanging, 15. Violent deaths (not classified) in which open verdicts were given, 15.

Table K shows the percentage of deaths to total deaths for the last ten years under the different orders in each class of diseases.

(K.)

	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.	1879. Per- centage.	1880. Per- centage.	1881. Per- centage.	1882. Per- centage.	1883. Per- centage.
CLASS I.—ZYMOTIC DISEASES. Order I.—Miasmatic Diseases—Small-pox, Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c	20.09	27'12 0'23 1'66 0'39	26.36 0.44 2.31 0.42	19.85 0.26 2.57 0.59	22.66 0.51 5.46	18'37 0'31 1'53 0'42	17.09 0.36	16.08 0.50 1.00	17.52 0.34 2.13 0.42	16·83 0·25 1·46 0·42
	22.38	29.46	29.23	23.57	25.61	20.63	19.39	18.75	20.41	18.96
CLASS II.—CONSTITUTIONAL.									-	
Order 1.—Diathetic Diseases — Gout, Dropsy, Cancer, &c 2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	3.60	3'24 8'22	3.28 7.83	3.48	3'39 8'41	3.38	3'79	3.83	3.68 9.04	3.58
	12.43	11.46	11.41	12:45	11.80	13.37	13.02	13.81	12.72	13.62

(K—continued.)

781	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	Per- centage.	1878. Per- centage.	1879. Per- centage.	1880. Per- centage.	Per- centage.	1882. Per- centage.	1883. Per. centage.
CLASS III.—LOCAL. Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease,										
&c	14.62	12,13	11.22	12.62	13.56	13.23	13.34	13.36	12.82	13.01
Heart Disease, &c	5'73	4.61	4.79	4.84	4.99	5.92	5.34	4.96	4.79	5'23
Asthma, Pleurisy, &c	11.34	10,13	10,00	10.87	10.03	10.53	13.79	13.14	13.66	12.47
nitis, Hernia, &c	6.31	6.64	6.36	7.27	7:07	7.35	6.24	7:17	6.43	7.23
&c	1.68	1.62	1.80	1.05	1.43	2.32	1.87	2.06	1.86	1.42
Diseases, &c	0.12	0.51	0.24	0.08	0.02	0,11	0'12	0,19	0.14	0.00
&c	0,11	0.18	0.18	0,11	0,10	0.19	0,10	0.13	0.15	0,11
Diseases, &c.	0,13	0,10	, 0, 20	0.19	0,15	0'19	0.18	0,13	0.31	0.10
	40.09	35.62	35.51	37.87	37.37	39.81	41.37	41.11	40.43	40.08
CLASS IV.—DEVELOPMENTAL. Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c. 2.—Adults—Paramenia, Childbirth, &c 3.—Old People—Old Age, &c	1,00	4.68 0.98	4.53 1.50	6.58	5.63	4.89	4.40	4°25 0°89	4.07	5.00
4.—Nutrition—Atrophy, Debility	6.54 6.54	4.96 5.57	5.45 4.98	5.21 2.08	5.03 2.00	5.60	6.00	6.25	6.02	7.09 6.79
	16.76	16.19	15.02	17.90	17:36	17.67	17.61	17'94	18.73	19.73
Order I.—Accident or Negligence —Fractures, Contusions, Burns, Drowning,									10.3	
Suffocation, Wounds, &c 2.—Wounds in Battle—Gunshot Wounds		6.03	6:34	6.72	6.83	7.41	6.87	6.69	6.32	6.24
3.—Homicide—Murder and Manslaughter 4.—Suicide—Poison, Drowning, Hanging, &c.	0.65	0.12	0.42	0.61	0.53	0.19	0.60	0.10	0.16	0.14
5.—Execution—Hanging Unclassified—Violent Deaths	0.03	0.02	0.03	0.01	0,01	0,01	0.03	0.03	0.03	0.01
	7.80	6.74	7.03	7.55	7.28	8.03	7.91	7.84	7.08	6.95
Unspecified	0.24	0.29	0.00	0.96	0.28	0'49	0.67	0.22	0.63	0.66

The last table in this report is the following, which gives the mean number of deaths registered in each month of the past ten years, and shows the mean temperature, mean height of barometer, and the rainfall.

(L.)

Periods.	Bi	rths.	De	aths.	Mean	Mean Height	I	Rain.
Perious.	Sydney.	Suburbs.	Sydney.	Suburbs.	Temperature.	of Barometer.	Depth.	Days.
January	301	332	234	184	71.7	29.956	2.73	13
February	259	296	199	151	7.08	30,010	5'27	15
March	297	340	201	157	69.9	30.083	3.81	13
April	292	336	182	158	64.6	30,134	5.42	13
May	297	355	188	165	58.6	30.062	7'14	14
June	300	359	179	143	53'5	30'127	4.26	9
July ,	308	375	178	126	52.5	30,181	3.73	13
August	313	384	190	135	55'7	30'124	2.95	9
September	294	354	168	123	58*9	30,031	4.92	14
October	299	381	197	145	63.0	30.026	4.04	14
November	283	360	200	181	66.8	29.935	2.47	12
December	276	338	240	197	70.2	29.912	1.63	12
Mean of 12 months	293	350	196	155	6.29	30'049	4.02	12

I have the honor to be, Sir,

Your obedient servant,

EDWARD GRANT WARD,

Registrar-General.

INDEX TO TABLES.

irths—								
Quarterly Abstract (1883)			•••					4
,, (1874 to 1883)		,						8
Children out of Wedlock								9
Triplets and Twins								9
In the Colony		•••						17
In each District		•••				•••		17
In each Ward of the City, in propor				•••				13
In each Suburban District		•••	,					13
At Sea, Registered in the Colony						,,,		60
In each Ward of the City	***						•••	12
4h-								
Ouesteels Abstract (1992)								1
Quarterly Abstract (1883)	•••	•••	•••	•••	•••	•••	•••	10
,, ,, (1874 to 1883)	•••	•••	•••	•••	•••	***	•••	
In the Colony	•••		•••	•••	***	•••	•••	17
In each District			•••	•••	,,,	•••	•••	17
In each Ward of the City, in proport	ion to	Deaths	, &c.		•••	•••	•••	13
In each Suburban District				•••	•••	•••	,	13
Infants (1874 to 1883)	•••			•••	•••	•••	•••	11
Males, at Ages, New South Wales, w	vith D	iseases a	and Ag	es	•••	•••	• • • •	20
" City of Sydney,		"	"	•••	•••	•••	•••	29
" Suburban Districts,		"	,,		• • •			38
" Country Districts,		,,	,,					47
Females ,, New South Wales,		,,	,,					23
", City of Sydney,		,,	,,					32
" Suburban Districts,		,,	,,					41
" Country Districts,		"	,,					50
Both Sexes,, New South Wales,		,,	,,			•••		26
" City of Sydney,		,,	,,					35
", " Suburban Districts,		"	,,					44
", Country Districts,		"	"					53
From each cause, in the City of Sydr	nev							57
Monthly Mortality						•••		56
At Sea, registered in the Colony								60
Mortality, Temperature, &c								15
Diseases classified (1874, 1875, 1876,								10
compared)					_,			14
In each Ward of the City						•••	• • • • • • • • • • • • • • • • • • • •	12
Deaths from all Ages (from 1 to 100			wards)		•••	***	•••	12
	Journ	win up	.,	***	•••	***	•••	14
[arriages—								
Quarterly Abstract (1883)	•••			•••		***		4
" (1874 to 1883)		•••	•••	•••	•••	•••		5
In the Colony		•••	•••	•••	•••	•••		17
In each District		•••	•••					17
Denominations (1883)								19
,, (1874 to 1883)								6
Registration Districts and District R			• • • •		***			60
Temperature, Height of Barometer,	_			883)	•••	•••	•••	
Tomporatare, Height of Darometer,	Lewill, (we. (10)	T 10 TC	(00)	***	***		15

A.

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during the Year ended 31st December, 1883.

	Marriages.		Births.			Deaths.	
	marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney Suburban Districts	2,039 1,243	1,974 3,273	1,782 3,261	3,756 6,534	1,246 1,416	987 1,299	2,233 2,715
Metropolitan Country Districts	3,282 4,123	5,247 10,767	5,043 10,224	10,290 20,991	2,662 4,454	2,286 2,847	4,948 7,301
Total	7,405	16,014	15,267	31,281	7,116	5,133	12,249

B.

Table showing the number of Marriages, Births, and Deaths registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1883.

			То	tal.		Births.					
District.	Popula- tion, Census, 1881.	Mar- riages.	Births.	Deaths.	Inclu		Illegit Birt		Deat	hs.	of Birth over Deaths
					М.	F.	M.	F.	М.	F.	
I.—North-eastern.											
1. Richmond River	1 0000	(14	112	20	55	57		3	13	7	9
Lismore	3,200	74	368	89	171	197		2	56	33	27
2. Tweed River	5	7	42	8	22	20			6	2	
3. Grafton	/	80	307	72	168	139	12	2	46	26	23
Maclean	7,744	5 24	184	31	87	97	1		20	11	1
Ulmarra)	(16	112	12	58	54			9	3	10
4. Macleay River)	(53	246	48	123	123	3	2	29	19	19
Bellinger River		3 8	40	14	21	19		1	9	5	
Nambuccra River	,,,,,,	(3	40	11	20	20			4	7	3
5. Port Macquarie	5	(13	83	14	40	43			10	4	
6. Manning River	/	52	324	61	178	146	6	4	32	29	2
Copeland	> 9,309	3 2	35	4	18	17			2	2	
7. Port Stephens)	(16	114	15	56	58	1	1	8	7	
8. Dungog	5	(14	100	21	54	46	1		11	10	,
9. Clarence Town	5,945	3	37	13	17	20		1	8	5	
O. Paterson		2 5	94	25		43			12	13	
1. Raymond Terrace	5 6 13	24			51		1				
2 Maitland (Fast)	5,643		96	21	55	41	1	2	13	8	1
2. Maitland (East)	4,103	26	111	38	57	54	2	2	25	13	1
Maitland (West)	5,703	96	284	157	142	142	6	3	87	70	1
Upper Hunter)	(2	11		7	4	• • • •	****			
Minmi	· ·····	3.10	65	33	37	28		,	19	14	
Greta)	(14	122	42	59	63	3	2	21	21	
3. Morpeth	4,944	27	153	68	76	77	4	1	41	27	1
4. Patrick's Plains	7,021	51	240	70	139	101	6	5	47	23	1
5. Muswellbrook)	(16	80	29	42	38	1		10	19	
Denman	11,321) 6	27	5	12	15	,		1	4	1
.6. Scone	(11,021) 12	120	35	58	62	2	4	16	19	1
7. Murrurundi)	(20	69	29	37	32	1		18	11	4
Total		688	3,616	985	1,860	1,756	50	35	573	412	2,68
II NORTH MIDLAND.											
1. Tenterfield	4,855	41	187	35	101	86	2	2	21	14	1
2. Wellingrove	6,900	56	222	69	114	108		1	36	33	1
Vegetable Creek	3 0,300	1 15	100	38	45	55		1	25	13	1
3. Inverell	7,186	63	285	49	145	140	5	8	28	21	2
4. Armidale)	(88	419	142	211	208	4	7	89	53	2
Walcha	15,222	15	102	20	60	42	3	1	6	14	1
Uralla	15,222	1 10	115	46	61	54	2		33	13	
Bundarra)-	(17	53	5	32	21	1	1	3	2	
Total		305	1,483	404	769	714	17	21	241	163	1,07
III.—North-western.											
1. Tamworth)	1 91	360	109	183	177	4	9	69	40	2
Manilla	/	4	62	18		26		1	11	7	
Gunnedah	13,238	65	277	93		126	6	9	49	44	1
2. Nundle)	(1	56	16		28			12	4	
3. Warialda)	(8	109	27	56	53	2	2	17	10	
Moree	5,490	13	88	28	47	41		2	20	8	
)	(13	64	14		36			7	7	
Bingera		(5		18	39	27	2	1	7		
4. Cassilis			66		2	2				11	
Merriwa	{ 13,004	3 2	4	5			···	11	3	2	
5. Dubbo	2	(113	450	152		205	7	11	103	49	2
6. Coonabarabran Coonamble	3 2,219	$\left\{\begin{array}{c} 18 \\ 27 \end{array}\right.$	62	16		29	2	4	8	8	
Loonambla	1 1 - 1 - 1 - 1	1 07	116	45	66	50	3	2	28	17	

B—continued.

			То	tal.		Births					
District.	Popula- tion, Census, 1881.	Mar- riages.	Births.	Deaths.		nding te Births.		itimate	De	aths.	Excess of Births over Deaths.
	1001.		Dirtins.	Deadlis.	М.	F.	М.	F.	М.	F.	Double
III.—North-western—contd. 7. Molong 8. Forbes Condobolin Parkes Nymagee 9. Walgett 10. Narrabri	6,877 7,759 3,490	$ \begin{array}{c c} 24 \\ 31 \\ 13 \\ 15 \\ \dots \\ 34 \\ 50 \end{array} $	290 174 46 100 23 117 200	53 54 11 26 5 69 61	133 89 26 50 13 68 115	157 85 20 50 10 49 85	1 7 3 2 4	6 1 2 1 1	27 32 9 17 4 39 30	26 22 2 9 1 30 31	237 120 35 74 18 48 139
Total		522	2,664	820	1,408	1,256	43	52	492	328	1,845
IV.—Metropolitan. 1. City of Sydney 2. Balmain Leichhardt. 3. Glebe 4. Newtown 5. Redfern 6. Waterloo 7. Paddington Randwick Waverley Woollahra 8. Canterbury Petersham 9. St. Leonards Manly	$ \begin{cases} 103,379 \\ 16,929 \\ 10,856 \\ 15,745 \\ 23,638 \\ 20,220 \\ 322,434 \\ 11,010 \end{cases} $	$\begin{array}{c} 2,039 \\ \left\{142 \\ 27 \\ 136 \\ 171 \\ \left\{65 \\ 101 \\ 91 \\ 8 \\ 51 \\ 64 \\ \left\{124 \\ 136 \\ \left\{100 \\ 27 \\ \end{array}\right.\right.$	3,756 800 190 622 853 680 598 570 72 154 181 551 755 464 44	2,233 275 81 260 424 275 291 245 29 61 77 239 288 147 23	1,974 420 92 327 424 344 298 282 42 78 70 282 380 211 23	1,782 380 98 295 429 336 300 288 30 76 111 269 375 253 21	240 7 17 16 14 11 1 2 3 12 12 3 	199 10 18 14 21 10 13 3 3 3 11 9	1,246 149 42 124 239 135 152 125 16 40 124 143 77	987 126 39 136 185 140 139 120 14 25 37 115 145 70 8	1,523 525 109 362 429 405 307 325 43 93 104 312 467 317 21
Total		3,282	10,290	4,948	5,247	5,043	355	315	2,662	2,286	5,342
V.—East Midland. 1. Newcastle Lambton Wallsend 2. Wollombi Millfield 3. M'Donald River 4. Brisbane Water 5. Windsor 6. Richmond 7. Penrith 8. Parramatta Central Cumberland 9. Ryde 10. Liverpool 11. Campbelltown 12. Camden 13. Picton	$ \begin{cases} 15,596 \\ 14,773 \\ 5,334 \\ 8,699 \\ 6,031 \\ 8,432 \\ 15,256 \\ 15,723 \end{cases} $		725 414 233 65 34 27 110 194 98 249 350 363 165 178 102 128 - 90	301 118 87 18 6 5 35 100 22 91 342 122 127 269 45 42 45	357 224 113 35 19 15 58 112 53 129 164 187 85 97 42 56 47	368 190 120 30 15 12 52 82 45 120 186 176 80 81 60 72 43	10 8 4 1 2 5 3 1 12 9 1 1 2 2 	12 8 4 2 2 2 3 6 6 3 1 2 1 2	171 73 47 14 4 4 21 54 12 46 268 71 72 248 24 25 27	130 45 40 4 2 1 14 46 10 45 74 51 55 21 21 17 18	424 296 146 47 28 22 75 94 76 158 8 241 38
Total		686	3,525	1,775	1,793	1,732	61	48	1,181.	594	1,841
VI.—West Midland. 1. Carcoar 2. Cowra 3. Hartley 4. Bathurst East Macquarie West Macquarie 5. Sofala 6. Orange 7. Wellington 8. Tambaroora Hill End 9. Mudgee Gulgong 10. Rylstone	$ \begin{cases} 10,482 \\ 8,673 \\ 12,828 \\ 9,472 \\ 6,034 \end{cases} $ $ \begin{cases} 17,977 \end{cases} $	$ \begin{cases} 42 \\ 15 \\ 58 \\ 111 \\ 27 \\ 22 \\ 6 \\ 88 \\ 33 \\ \dots \\ 8 \\ 62 \\ 30 \\ 17 \end{cases} $	347 138 353 285 200 164 46 365 181 19 28 324 105 167	77 444 106 163 60 51 11 130 49 5 21 156 58 58	174 76 180 159 95 76 23 186 75 7 15 164 53 88	173 62 173 126 105 88 23 179 106 12 13 160 52 79	6 3 5 7 4 8 3 7 5 4	6 4 6 3 1 5 1 7 3 7 5 3	40 25 60 98 31 25 2 83 33 5 11 90 35 26	37 19 46 65 29 26 9 47 16 10 66 23 32	270 94 247 122 140 113 35 235 132 14 7 168 47 109
Total		519	2,722	989	1,371	1,351	52	51	564	425	1,733
VII.—SOUTH-EASTERN. 1. Wollongong	} 7,209 5,735 * } 8,393 } 11,484	$ \begin{cases} 27 \\ 8 \\ 33 \\ 40 \\ 11 \\ 48 \\ 16 \\ 16 \\ 9 \\ 53 \end{cases} $	195 98 180 257 72 230 50 143 54 256	67 24 59 64 13 69 19 42 16 47	110 39 85 140 30 132 24 73 25 130	85 59 95 117 42 98 26 70 29 126	2 1 1 1 5 1	2 1 3 1 3 2	42 12 32 33 5 44 6 21 8 22	25 12 27 31 8 25 13 21 8 25	128 74 121 193 59 161 31 101 38 209
Total		255	1,535	420	788	747	12	12	225	195	1,115

^{*} Included in Camden.

B—continued.

			To	otal.		Births					
District.	Popula- tion, Census, 1881.	Mar- riages.	Births.	Deaths.		uding ate Births.		itimate	De	eaths.	Excess of Birth over Deaths
					M.	F.	M.	F.	M.	F.	
VIII.—SOUTH MIDLAND.											
1. Braidwood	6,948	27	154	61	78	76		2	37	24	9:
2. Cooma)	54	286	75	151	135	5	3	50		21
3. Bombala	{ 10,751	22	163	67	102	61	3		39		9
4. Goulburn	5-	(104	345	143	176	169	12	8	80		20
Argyle	{ 17,204	38	345	85	168	177	5	7	48		26
Crookwell	1,201	(21	65	21	41	24	1	í	14		4
5. Albury	5,715	70	226	99	128	98	8	6	53	46	12
Hume		60	316	93	155	161	1	4	56	37	22
6. Gundagai)	(21	166	34	85	81	5	5	23	11	13
Adelong	6,531	16	126	28	57	69	6		17	11	9
Cootamundra	(0,001	41	124	42				2			
7. Tumut	6,685	15	109	41	77	47	5 2		32	10	82
	0,000				59	50		1	24	17	68
	7,893	§ 40	167	57	74	93	1	• • • •	30	27	110
Gunning	5 150	17	91	30	42	49	2		14	16	6.
9. Queanbeyan	5,459	34	225	78	102	123	5	3	49	29	147
10. Burrowa	4,306	22	150	45	74	76	4	1	29	16	108
Grenfell	/	(21	127	32	66.	61	5	1	23	9	95
Barmedman	5,546	3	8		3	5					8
Temora	2	(29	78	25	42	36	1	1	12	13	53
11. Young	} 11,850	5 41	255	94	131	124	4		55	39	161
Murrumburrah	3 22,000	(11	108	36	51	57			17	19	72
Total		704	3,634	1,186	1,862	1,772	75	45	702	484	2,448
IX.—South-Western.											
1. Deniliquin)	(51	135	70	62	73	3	5	45	25	65
Jerilderie	(0000) 5	37	9	19	18			9		28
2. Moama	8,908) 8	66	18	34	32			8	10	48
3. Moulamein)	(2	19	4	12	7			3	1	15
4. Balranald	8,135	15	64	25	33	31			17	8	30
5. Bourke) 070=	(57	221	122	111	110	11	8	89	33	99
Cobar	8,125	1 48	105	41	52	53	2	4	25	16	64
6. Hay	*	60	202	107	106	96	3	5	69	38	95
Hillston	*	16	152	42	82	70	1	1	28	14	110
7. Wentworth) "	(29	96	28	50	46	2		17	11	68
8. Wilcannia	1	34	90	59	47	43	2	2	42	17	31
Milparinka	6,149	3 4	20	14	11	9			12	2	6
Menindie)	(3	48	21	19	29		1	14	7	27
9. Wagga Wagga	1	(88	390	106	190	200	8	7	68	38	284
Narrandera	18,347	18	132	49	70	62		3	26	23	83
Urana	(10,041	6	35	7	18	17			4	3	28
Total		444	1,812	722	916	896	32	36	476	246	1,090
					310		04		470	240	1,090
GRAND TOTAL		7.405	31,281	12,249	16,014	15,267	697	615	7,116	5,133	19,124

The deaths in the districts of Merriwa and Liverpool exceed the births by 92, which will reduce the excess of births over deaths to 19,032.

* Included in Balranald.

C.
MARRIAGES—1883.

		Syc	lney.		Sub	urban	Distri	icts.	Co	untry	Distric	ets.		To	otal.	
Denominations.	Mar-		Mark	īs,	Mar-		Mark	S.	Mar-		Mark	S.	Mar-		Mark	s.
	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	M.	F.	Total
Church of England	833	26	46	72	452	15	17	32	1,664	125	118	243	2,949	166	181	347
Roman Catholic		13	28	41	200	14	16	30	863	72	75	147	1,414	99	119	218
Presbyterian		6	9	15	136	1	6	7	589	33	41	74	950	40	56	90
Weslevan	79	7	4	11	137	3	1	4	496	18	27	45	712	28	32	6
Primitive Methodist	12	i		1	39	2	1	3	106	3	4	7	157	6	5	1
Congregational	359	25	29	54	137	2	5	7	69	5	3	8	565	32	37	6
Baptist			1	1	16				48	1	3	4	101	1	4	
Hebrew	22								2				24			
Ferman Evangelical	1				1				8	1		1	10	1		
Christians	1				8								9			
Unitarians	3				2								5			
Friends	1												1			
Salvation Army	3												3		1	
Bible Christians				,					2		:		2			
independent (uncon- nected).									12	2		2	12	2		
Anglo-Israelite									2				2			
Free Church of England									3				3			
Registrars' Offices	112	3	5	8	115	8	8	16	259	33	37	70	486	44	50	9
	2,039	81	122	203	1,243	45	54	99	4,123	293	308	601	7,405	419	484	90

D 1.

Deaths from all causes, of Males, at different ages, registered in New South Wales, from 1st January to 31st December, 1883.

Agents of the state of the stat	1		1	1	1			1		,	000.	1	1			1	1	-	1	-		i N
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER. 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	9 10 10 19				 1 3 13 18 	2 4 21 1 24 12 2 3 1 3	 1 8 1 1 16 1 1 1 1 1 1 1 1 1 1	23	30	25	23			 	11					3 2 2 3 9	2 1 1	 1 25 24 109 16 140 26 201 17 2 23 58 341 49 7 35 8
ORDER 2. 1. Syphilis	13 					 				31	1 1 		 1 1		24 2			1 1 2			5 	1,082 17 3 20
ORDER 3. 1. Privation	30 3								1 1	1 1 3	6	 1 12 13	3 1 7	1 1 5	1 3 10	3 1 4 8	6 3	3 1 1 5	1 1 2	1 2 3	4 3	25 30 4 10 54 123
ORDER 4. 1. Thrush	18	1	1 2 			 1 1 2	 1 1	 2 2			 1 1		 1 1	 1 1	 1 1							20 3 8 31
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	3 2 	3 1 1 1	2 1 	1 1		78 1 2 1 1	35 3 1 1 2	1	38 1 	 1 3 1 	4 2	32 5 6 1 2	1 4 7 1 	 5 13 1 	6 16 3 5	1 7 12 3	14 22 2 3	30 7 16 1 3	 5 13 	7 10 1	12 2 1 	1,256 2 84 124 15 1 24
ORDER 2. 1. Scrofula	6 58 17 16 	1 35 8 6 	3 4 3 1 	2 2 	 2 1	5 1 5 	1 1 2	30 1	-4 56 1	5 80 1 81	2 70 1	67	1 71 72	19 1 43 2 2 48	30 34 	23 24 2	-41 	27 10 	18 4 	1 1 1 1	3 5 1 6	250 14 99 540 4 25 11 693

D 1-continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	44 10 1 1 316 10	22 3 58 1	6 13 3	4	4 2 2 1	8 1 5 5	6 1 1 3	4 1 4	2 1 1 4 1 7	2 6 2 2 6 8	2 3 5 2 2 8	2 7 2 6 4 7	 9 8 2 6 7	1 9 16 3 3 6	2 9 10 5 2 10	2 16 5 1 10	1 21 13 1 1 3	1 12 15 4 12	1 10 10 1 1 8	 10 16 2 5	6 1	114 135 104 23 45 390 118
	382	84	22	4	9	19	11		16	26	22	28	32	38	38	34	40	44	31	33	7	929
Order 2. 1. Pericarditis	 2 11 13				1 1 2	4	1 8	2 7	 13 13	2 10 12	2 1 18 21	$\frac{1}{4}$ $\frac{30}{35}$	4 3 38 45	5 35 40	1 32 33	1 3 39 43	$ \begin{array}{r} 2 \\ 2 \\ 47 \\ \hline 51 \end{array} $	$ \begin{array}{r} 1 \\ 5 \\ 45 \\ \hline 51 \end{array} $	$ \begin{array}{r} 1 \\ 3 \\ 28 \\ \hline 32 \end{array} $	 16 16	 2 	15 32 384 431
ORDER 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs, pulmonary 5. Asthma 6. Lung Disease, &c	3 134 2 64 26 1 3	 43 29 9 1	1 10 11 1 23	10 4 1 1 16	4 5 8 2 1 20	1 12 1 8 1 1 24	 5 1 6	 3 11 1 	 3 1 18 1 1 24	2 7 25 4 2 2 42	 2 2 17 1 3 2 27	 4 3 30 3 3 2 45	5 1 28 3 4 1 42	30 1 5 1 49	2 10 2 25 1 4 2 46	 11 1 12 3 4 1	23 2 12 12 1 4 2 44	 15 1 13 3 2 2 2	1 20 12 2 4 1 40	1 25 8 4 2	 2 1 8 1 12	13 344 31 378 68 39 25
Order 4. 1. Gastritis	43 65 6 1 1 5 5 6 6 9	5 21 1 	3	4	1 3	1 3 3 2	4 3	 8 3 1	1 10 2 1 2 	5 3 1 2 3	1 5 1 1 2 1	1 3 3 1 2 3 2 2	2 2 5 2 1 1 1 1 1 15 	 2 3 1 1 2 1 1 1 1 1 	7 1 1 2 1 1 2 5 2 9	3 2 1 1 3 1 10	2 5 3 2 2 1 1 8 	2 4 2 1 2 1 1 1 3 2 8 1	4 2 1 2 2 6	1 1 2 2 2	1 1 1 	68 156 45 8 4 9 19 6 2 14 33 20 79 2
	146	27	4	5	5	10	8	12	17	14	11	15	35	23	31	21	24	28	17	8	4	465
Order 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c						1 1 2	1 1 1 	 1 1 2	 3 1	 5 1 1	1 3 2 1	 4 2 3	 6 1 2 3	1 5 1 3	2 1 7 3 2 1 1	7 2 1 2 4	3 4 1 1 5	 7 1 5 2	3 1 1 1 2 1 3	3 3 3 1		15 2 58 15 6 16 30
Order 7. 1. Arthritis						1	1 1 2	2							2 1							6 2
Order 8. 1. Phlegmon		 1			1												1 1 1 3	 1 1				$ \begin{array}{c c} & 1 \\ & 3 \\ & 10 \\ \hline & 14 \end{array} $
Total, Class III	784	194	49	25	37	60	39	49	74	101	88	132	166	160	168	146	176	175	132	107	25	2,887

D 1—continued.

CAUSES OF DEATH	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	177 12 2 16 73	55			1										•••							177 13 2 16 128
Order 3. 1. Old Age	280	55			1			•••								1	64	49	118	396	8	566
Order 4.				•••	•••		•••			• • •			•••	•••	•••	1	04	49	110	520	0	500
1. Atrophy and Debility. Total, Class IV	366	48 103	$\frac{2}{2}$		 1											1	64	49	118	326	-,,	1,318
CLASS V—ORDER 1. ACCIDENT OR NEGLIGENCE. 1. Fracture & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1 5 2 10 	2 8 1 1 6 2 	7 1 1 8 	3 5 3 	1 1 2	11 1 3 2 23 1 	10 7 1 12 	15 2 2 2 6 6 27	36 1 1 2 1 12 1 2 57	32 3 1 2 , 3 1 21 63	22 4 2 1 15 2	24 1 1 10 3	21 3 2 11 	25 1 2 5 8 3 	23 1 1 13 1 43	13 1 6 	10 1 2 1 2 1 1	7 1 1 2 2 2 1 14	3 1 1 1 1 2 1	5 1 2 1 2 1	8 1 4 -2 	272 24 11 38 16 30 3 168 21 11
Order 2. ViolentDeaths in Battle 1. Gunshot Wounds 2. Sword and Bayonet Wounds																					•••	
ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter	1 3 4						•••	1 1		1	1 1	1	•••	1	1 1		•••					4 6 10
Order 4.—Suicide. 1. Wounds Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise				•••		•••			1 3 1	5 1	3 1 1 1 1	1 5 1 1	5	1 1 1	1 2 1	1 2	1 2	1		 1 2 1	1	12 10 5 2 14 8
ORDER 5.—EXECUTION.		•••						•••	5	6	7	8	6	3	4	3	3	1		4	1	51
Violent Deaths, not classed (Open verdicts — Found drowned, &c. Total, Class V		20	17		2	44	1 31	1 29	1 63	$\begin{array}{ c c }\hline 1\\\hline 2\\\hline 73\\\hline \end{array}$	54	49	1 44	48	3 51	1 24	1 25		1 11		1 17	13 669
Sudden Deaths (cause unascertained)			•••						,,,													
Causes not specified or ill-defined	1 969	1 512			1	2	2			2	1		4	3	3	1		1	A.;	1	21	43
GRAND TOTALS	1,909	012	103	94	80	195	118	144	236	296	264	294	338	310	327	243	343	307	298	493	92	7,116

Deaths from all causes of Females, at different ages, registered in New South Wales, from 1st January to 31st December, 1883.

			,							, ,												
CAUSES OF DEATH.	Under 1 year.	I to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS 1.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile	2 7 9 1 13 16	 6 2 9 1 17 7	 4 3 16 13 2	 9 16 1 13	 2 19 18 1	 2 5 40 1 13	 2 12 2 	3	 1 			1	 1 									2 22 22 22 126 5 89 26
Fever). 8. Erysipelas. 9. Metria. 10. Carbuncle. 11. Influenza. 12. Dysentery. 13. Diarrhæa. 14. Cholera. 15. Ague. 16. Remittent Fever. 17. Rheumatism. 18. Pyæmia.	6 9 12 15 202 16 	6 1 1 8 82 8 1 	7 1 1 5 3 1 	3 2 2 1 1 	5 1 2	17 1 1 1 2 1	18 5	34 1 1 1 1 	26 1 3 1 1 2 1	20 1 1 1 1 1 4	12 2 1 2	6 1 2 2 1 3 1	8 1 2 1 1 1 2	4 6 1 1	10 1 1 1 6 1	6 2 2 4 2 2	1 1 1 	3 2 6 	 4. 4. 	1 2 1 3 1 	3 1	196 19 11 17 42 329 31 1 5 24 13
	309	149	56	48	48	84	40	42	36	31	17	17	17	12	20	18	4	11	8	9	4	980
ORDER 2. 1. Syphilis			1						1 1			1 1	1 1	1 1								11 11
Order 3. 1. Privation	18					1 2 	1 1			 1 3	4	 5		2 2 1 5		3	1 4				 1	5 18 3 3 27 ————————————————————————————————
ORDER 4. 1. Thrush		1			1																	17 1 2
	16	1			1				1				1	10						10		
Total, Class 1	350	150	57	48	49	87	41	42	38	35	21	23	21	18	23	21	9	11	8	10	5	1067
CLASS II.—ORDER 1. 1. Gout	2		 1 1	1 1 1 1	 1 1 	 2 1 3	1	 1 1	 2 1 3	1 2 3	3 3 6	 2 6 3 	5 7 1 	8 13 2 1 24	20 3 27	7 12 4 1	1 7 13 1 22	6 11 1 18	3 4 1 8	3 4 1		1 59 91 25 1 2 9
ORDER 2. 1. Scrofula	52	31 8	1 3	3	1 1 2 	10		 28 1	2 61 	69	 52	1 41 1	36	1 22 1	12	14	1 9	2	1 4		5	10 90 401 3 24
3. Phthisis		5 1	1				2			1		2	1		1			1				9
3a. Hæmoptysis 4. Hydrocephalus	18	5	1				2											1			5	

D 2-continued.

	,	100		1		-		1	-		,	1	,	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	-	1	1	1				1
	1.1		/*				zi.	no.	ni.	ró	ri.	1 00	200	00	o,		o o	200	pr.		ified	
CAUSES OF DEATH.	Under 1 year.	ars.	ars.	ars.	ars.	to 10 years.	to 15 years.	20 years.	25 years.	30 years.	35 years.	to 40 years.	to 45 years.	45 to 50 years.	50 to 55 years.	to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CAUSES OF BEATH.	ler 1	2 years.	3 years.	3 to 4 years.	to 5 years.	10 y	0 15	to 20	to 25	to 30	to 35	50 40	0 45	20 50	20 02	09 03	29 02	02 03	to 75	years	ou sa	Total.
	Und	1 to	2 to	3 to	4 to	5 to	10 t	15 t	20 t	25 t	30 t	35 1	40 1	45 1	20 1	55	09	65	10	75	Age	B
								1														
CLASS III.—ORDER 1.																					1	000
1. Cephalitis	39	22	5	6	2	6	6	3	4	3	1	$\begin{vmatrix} 1 \\ 8 \end{vmatrix}$	1 11	1 11	7	8	11	7	7	8	1	100
3. Paralysis				1		1	2	1	2	1	2	2 3	1 1	4 3	2	7	7	8	1	8	1	51 10
4. Insanity							•••			1	1											
6. Epilepsy	1 220	65	11	$\begin{vmatrix} 1\\2 \end{vmatrix}$	$\frac{1}{2}$	4	2	7	5	3	2	4	4	5	3	2	2		1			47 300
8. Brain Disease, &c	5		3		1	2	5	1	3	2	3	3	5	4	6	3	5	1	3	2	1	58
1	273	89	19	10	6	14	15	12	18	13	9	21	23	28	18	21	26	17	12	18	3	665
ORDER 2.										- 4	1											
1. Pericarditis						1	2		1		1		1		1	2			1			8 2
3. Heart Disease, &c	10	1				7	3	8	13	11	10	18	19	9	13	16	27	12	6	16		199
	10	1				8	5	8	14	11	11	18	20	9	14	18	27	12	7	16		209
ORDER 3.											,											
1. Laryngitis	2 89	46	1 15	3 6	6	$\begin{array}{c} 5 \\ 12 \end{array}$	1	4	2		 1	6	2	5	4	6	24	21	8	18		15 276
3. Pleurisy	40	38	 11	5		12	1 4	1 8	2 17	2 15	1 20	$\frac{2}{17}$	2 10	1 6	 5	5	2 3	2 7	3 7	6	1 3	20 239
4a. Congestion of the													10			9						
Lungs, pulmonary 5. Asthma	16 4	5	3	5	2	1	$\frac{1}{2}$	1	1	2	3	2	2	1	3		$\frac{1}{2}$	1	1 4	2	2	53 19
6. Lung Disease, &c	2		1				•••	1				•••	•••		1	1	2				•••	8
	153	94	31	19	8	30	9	16	22	20	25	27	16	14	13	12	34	32	23	26	6	630
Order 4. 1. Gastritis	50	21	2	4		3	1	1	3		1	2	2	3	3	1	1	2				100
2. Enteritis	61	16	5	1		3	2	11	5	7	3	2	2	5	2	2	3	1	4	2		137
3. Peritonitis	6		1			1	2	3 2	2 1	9	8	2	1	2 2	$\frac{2}{2}$		2	1		1 1		$\begin{array}{c} 42 \\ 12 \end{array}$
5. Ulceration of Intestines 6. Hernia		1						1		1					1	1	 1	3	1			5 6
7. Ileus	2	1	2	1	•••			1			1				1		2		1			12
8. Intussusception 9. Stricture of Intestines	1			1		1							1				1					4
10. Fistula	3			1						2	1		 1	 1		 1	2		2	1		15
12. Pancreas Disease, &c.										3			2			2						
13. Hepatitis	7	1							1			1		5	5		1	1	1			$\begin{bmatrix} 21 \\ 12 \end{bmatrix}$
15. Liver Disease, &c 16. Spleen Disease, &c			1				1	1	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$		6	10	7	5	6	6	4	3	1			53 1
	132	40	11	8		8	6	20	16	23	20	19	16	24	22	13	17	11	10	5		421
Order 5.																				-		
1. Nephritis	1		1			1			2		2		1	1		2			1			12
2. Ischuria			1				1	1	2	5	1	12	6	2	1	3	2	3	2	1		1 43
4. Diabetes 5. Stone							1		2				1			2		1	2			8
6. Cystitis			1								 1	1		1		1 1	1	 1				1 7
7. Rittiney Disease, &c	1		3			 1		··· 1	6	 5	5	13	 8	4	1	9	3	 5				
Order 6.													-						5	1		73
1. Ovarian Dropsy									1			1				1						3
2. Uterus Disease, &c			•••						3	•••	2		2			:					1	8
									4		2	1	2			1					1	11
ORDER 7.				1													1					0
1a. Ostitis Periostitis, &c.								•••					•••		•••						•••	2
2. Joint Disease, &c									2										1	1		4
	••••			1					2								1		1	1		6
ORDER 8. 1. Phelgmon																						
2. Ulcer						.1.									1	2						3
3. Skin Disease, &c	5								1		1											7
	5								1		1				1	2						10
TOTAL, CLASS III	574	224	64	38	14	61	37	57	83	72	73	99	85	79	69	76	108	77	58	67	10	2,025
	PT - 1							, -						-			1	-	1			1

D 2—continued.

1	,			,					contr													
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	3 3	49				•••						•••										138 3 3 12 119 275
ORDER 2. 1. Paramenia								1	1 17 18	 25 25	16	21	16	2							5	1 103 104
ORDER 3. 1. Old Age	•••			•••	• • •			•••	•••							1	46	28	68	157	2	302
ORDER 4. 1. Attrophy and Debility Total, Class IV		55 104	6				•••	1	18	25	16	21	16			1	46	28	68	157	7	416
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a Gunshot} 3. Burns and Scalds 3. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1 3 1	2 7 2 5 2 	1 3 1 1 4 1 	2 6 5 14	1 3 	5 3 2 1 6 1 	1 4 7 	 4 3 5 	3 3 1 2 4 1	1 2 1 1 1 2 	5 1 1 1 	1 1 		6 1 1 	1 1 1 	 1 1 2	1 1 1 	 1 3 	1	1 2 1 1 5	 2 1 	38 1 3 47 5 14 1 45 14 1 1
Ordre 2.—Violent Deaths in Battle. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																	•••					
ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter	3					•••			1 1			1		1	" 1 1			•••		••		5 2 7
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise												1 1 2			 1 1			•••				 1 1 1
Order 5.—Execution. 1. Hanging		•••					•••								•••		•••					•••
Violent Deaths (not classed) Open Verdicts—Found Drowned, &c Total, Class V	1 	 18	 11	14	 4		12	 12	1 16					9			3	4		5	3	181
Causes not specified or ill- defined.	3		1			2			2	5			2	3	2	E-1	1		1		16	38
GRAND TOTAL		 54 1		106	73	181			223				$\frac{2}{174}$			 138	199		149	248	46	5133

Deaths from all causes, of Both Sexes, at different ages, registered in New South Wales, from 1st January, to 31st December, 1883.

CAISSES OF DEATH. 2												1006			8 1					,			
1. Small-pox 3	CAUSES OF DEATH.	Under 1 year.	to 2	to	3 to 4 years.	100	5 to 10 years.	10 to 15 years.	15 to 20 years.	to	to	30 to 35 years.			45 to 50 years.	50 to 55 years.	55 to 60 years.	to 65	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
Onder 2	1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism	3 19 1 16 3 39 36 15 19 22 34 408 42 1 2	11 10 17 5 40 10 12 1 2 15 145 17 1 1	6 6 40 2 444 5 1 4 11 4 1 1	2 13 35 3 30 7 2 4 2 1	 1	4 9 61 2 37 29 3 3 4 4 1 5 2	34 2 1 3 34 2 1 1 2 1 1 7 1	57 1 1 3 1 2 3	56 1 3 1 1 3 5 1	45 1 1 1 1 1 1 2 6 1 1	35 2 35 2 1 1 1 5 3 3	1 15 2 3 5 1 1 6 1	 2 2 17 1 2 6 3 3 2 4 1	9 2 5 11 1 7 1	21 1 1 5 9 2 4	8 2 4 10 1 	3 1 1 5 6 1 1 1	 1 7 2 4 18 1 1 	1 2 5 12 1 5	1 4 4 4 2 4 12 1	5 1 1 1	3 47 46 235 21 229 52 397 36 11 2 40 100 670 80 1 12 59 21
1. Privation	1. Syphilis											1		1					1 				3
1. Thrush	1. Privation	48 4					2			 1	1 2 3		 1 17	 1 9	3 6	3 13	 1 7	7	 1 1	1	3	4	48 7 13 81
1. Gout	1. Thrush	34	2	3		1 1	1 1 2	1 1	2	1 1		1 1		2 2	1 1	1 1							10
Order 2. 1. Scrofula 7 1 1 1 1 2 2 2 2 1 1 2	1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma	7 4 1	3 1 1 1	2 1 1 	2 1 1 1	1	3 2 1 2	4 1 1 2	1 1	5 2 	2 3 3	7 3 2	7 12 4 2	9 14 1 	13 26 3 1	10 36 6 5	14 24 4 4	21 35 2 4	13 27 2 3	8 17 1	10 14 1 1	2 1 	143 215 40 1 3 33
Total, Class II 192 101 17 10 9 24 28 62 127 162 137 135 115 104 87 84 58 35 30 14 1,668	1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3x. Hemoptysis 4. Hydrocephalus	7 110 29 34	1 66 16 11 1	1 7 3 2	.: 5 .: .:	1 1 2 2 1	1 15 	2 14 4	 58 1 1	2 117 1	 149 1 1	2 122 1	1 108 1 2	1 107 1	2 65 3 2	 46 1	38 2	1 20 	 12 1	1 8 	1 2 1	10 1	24 189 941 7 49 20
	Total, Class II	192	101	17	10	9	24	28	62	127	162	137	137	135	115	104	87	84	58	35	30	14	1,668

D 3—continued.

	-	-					,															
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis	18 1 2	44 5 123 1	11 24 6	10 1 1 2	6 2 3 2 2	14 2 1 9 7	12 3 3 8	4 3 1 8 5	6 5 2 1 9 1 10	5 9 3 9	2 4 7 3 4 	3 15 4 .9 8 	1 20 9 3 10 12	2 20 20 6 8 	2 16 12 5 16	3 24 12 2 1 13	1 32 20 2 3 8	2 19 23 4 13	1 17 11 1 2 11	18 24 2 7	1 6 1 1 1	213 235 155 33 92 690 176
	655	173	41	14	15	33	26	21	34	39	31	49	55	66	56	55	66	61	43	51	10	1,594
Order 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c	21	1			1 1	1 11	3 11	2 15	1 26	2 21	3 1 28	1 4 48	5 3 57	5 44	1 1 45	1 5 55	2 2 74	1 5 57	2 3 34	32	2	23 34 583
	23	1			2	12	14	17	27	23	32	53	65	49	47	61	78	63	39	32	2	640
ORDER 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs, Pulmonary.	223	4 89 67 14	2 25 22 4	3 16 9 5	4 11 8 4	6 24 1 20 2	1 1 9 2	4 4 19 1	5 3 35 2	2 9 40 6	3 3 37 4	10 5 47 5	 7 3 38 3	13 5 36 2	2 14 2 30 4	17 1 17 17 3	47 4 15 2	36 3 20 4	1 28 3 19 3	1 43 14 6	 2 2 11 3	28 620 51 617 121
5. Asthma 6. Lung Disease, &c		1 1	1	1 1	1	1	2	2	1	3 2	3 2	3 2	6	6	4 3	4 2	6	3 2	8	2		58 33
	-	176	54	35	28	54	15	31	46	62	52	72	58	63	59	44	78	68	63	66	18	1,528
Order 4. 1. Gastritis	126	26 37 1	2 8 1	5	1 3	4 6 4	1 6 5	1 19 6 2	4 15 4 1	 12 12 1	2 8 9	3 5 5	4 4 5 3	3 7 5 3	10 3 3 2	1 5 2	3 8 5 2	4 5 3 1	 8 2 1	1 2 2 1	1 1 1	168 293 87 20
5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula	1 7 6 	1 1	2	1 1		 2 1 		1 1 	1 2 	1 1	2	1 2	1 1 1 1 1	1 2	3 2 	1	1 4 1	5 1 1 	1 1			9 15 31 10 1 2
11. Stomach Disease, &c. 12. Pancreas Disease, &c. 13. Hepatitis 14. Jaundice 15. Liver Disease, &c. 16. Spleen Disease, &c.	5 16	" " "	 1 1	1 1	1	 1	1 1	 2	 2 1 2 1	2 5 3	1 2 7	 4 1 12	2 5 1 22 	1 6 1 17 1	2 10 2 15	5 1 16 	2 2 1 12 	3 3 11 1	2 3 2 7 	3 2 2	 1 	29 54 32 132 3
	278	67	15	13	5	18	14	32	33	37	31	34	51	47	53	34	41	39	27	13	4	886
Order 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	1 		1 1 1			2 1	1 1 2 1	 2 1	2 5 2 1	 10 1 1	3 1 4 2 2	 16 2 4	1 12 1 1 2 3	2 7 1 4	2 1 8 3 2 1 1	2 10 4 1 3 5	3 6 1 1 6	 10 2 5 3	4 1 3 2 1 3	3 4 3 1		27 3 101 23 7 17 37
	3		3			3	5	3	10	12	12	22	20	14	18	25	17	20	17	11		215
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c		***							1 3		2	1	2			1					 1	3 8
						•••			4		2	1	2			1					1	11
ORDER 7. 1. Arthritis				1		1	1 1	2	2						2		1		 1	 1		8
				1		1	2	2	2					••••	3	•••	1		1	1		14
Order 8. 1. Phelgmon					i 1 				 1						1	2	1 1 1	 1 				1 6 17
	13	1			1				1	36-	1				1	2	3	1				24
TOTAL, CLASS III	1,358	418	113	63	51	121	76	106	157	173	161	231	251	239	237	222	284	252	190	174	35	4,912

D 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations	315 15 5 28	•••		•••	" 1 …	•••	•••		•••													315 16 5 28 247
5. Teething	143 506	104		•••	1				•••						•••			•••				611
ORDER 2. 1. Paramenia	•••			•••				 1	1 17	25	16	21	 16	2	•••		•••				5	1 103
Order 3.	•••	•••			•••	•••	•••	1	18	25 ——	16	21	16	2	•••						5	104
1. Old Age	•••	•••			•••								•••			2	110	77	186	483	10	868
ORDER 4. 1. Atrophy and Debility	721	103	8	•••	•••	•••		•••		•••			•••			•••	•••				•••	832
Total, Class IV	1,227	207	8	•••	1	•••	•••	1	18	25	16	21	16	2		2	110	77	186	483	15	2,415
CLASS V.—ORDER 1. CCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts	8	4 15 1 3	1 10 1 2	5 11 4	2 4 	16 1 6 5 3	11 7 4 1	15 2 6 2 3	39 1 1 4 3 3	33 3 3 1 4	27 4 1 2 2	25 1 2 1	21 3 2	31 2 1 2 5	24 1 1 1 3	13 1 1 	11 1 2 2 	7 1 2 2 	4 1 1 1	6 3 3	8 1 2 	310 25 14 85 21 44
4a. Bite of Snake or Insect 5. Drowning 6. Suffocation		11 4	$\begin{array}{c c} 1\\12\\1\end{array}$	8	•••	29 2	19	11	16 1	1 23 	16 	10	ii 	8 3	$\begin{array}{c} 1 \\ 14 \\ 1 \end{array}$	6 1	2 2	5	2	3	5 2	213 35
7. Otherwise	37	38	28	28	6	62	42	39	$\frac{3}{71}$	 71	$\frac{2}{54}$	$\frac{3}{42}$	37	 52	46	22	$\frac{1}{24}$	$\frac{1}{18}$	$\frac{1}{11}$	$\frac{1}{17}$	18	$\frac{12}{763}$
ORDER 2.— VIOLENT DEATHS IN . BATTLE. 1. Gunshot Wounds								•••														•••
2. Sword and Bayonet Wounds						• • • • • • • • • • • • • • • • • • • •									,							
o. Otherwise minimum														•••								
ORDER 3.—HOMICIDE. 1. Murder			•••					ï	 1	1	ï	2		2	2							9
Order 4.—Suicide.	7			• • • • • • • • • • • • • • • • • • • •				1	1	1	1	2		2	2			•••				17
1. Wounds {Gunshot Cut,Stab,&e 2. Poison		•••							 1 3 1	5 1 	3 1 1 1 1	1 5 1 	 5 1	1 1 1 	 1 3 1	1 2	1 2	1 		1 2 	1 	15 10 6 1
5. Otherwise				•••					5	6	7	10	6	3	5	3	3	1		4	1	5
Order 5.—Execution. 1. Hanging										1	•••											
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)	1 / 1						1	1	2	2			1		3	1	1		1		1	1
Total, Class V		38	28	28	6	62	43	41	79	81	62	54	44	57	56	26	28	19	12	21	20	85
Sudden Deaths (cause un ascertained)																			•••			
Causes not specified or ill defined		1	1		1	4	2		2	7	1		6	6	5	1	1	1	1	1	37	8
GRAND TOTAL	3,590	105	308	200	153	376	225	286	459	517	440	498	512	469	466	381	542	448	447	741	138	12,24

E 1.

Deaths from all causes, of Males, at different ages, registered in Sydney, from the 1st January to the 31st December, 1883.

CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
Cruss I Opposit																						
CLASS I.—ORDER 1. 1. Small-pox																						
1a. Chicken-pox	1																					1
2. Measles	2	1 2	1	1														***				5 2
3a. Diphtheria	2		1	3		1		1														8
4. Quinsy		4	5	1	1	4											• • • • • • • • • • • • • • • • • • • •					15
6. Whooping-cough			1																			1
7. Typhus (and Infantile Fever)	1	2	1	1			2					0			1			,				40
8. Erysipelas	2		1	1		4	3		6	5	7	3	3	2	1			1	1	1		40
9. Metria																						
10. Carbuncle	•••											•••										
12. Dysentery									1					1		1		1				4
13. Diarrhea	32	10											2		1	1		3	1	2		52
14. Cholera 15. Ague	7	1		1		1							••••			•••	•••	1	1			12
16. Remittent Fever							1															1
17. Rheumatism						1			1	1	1	1		1		1		•••				6 2
10. 1 young	•••	•••												1								
	47	20	9	7	1	11	4	1	8	6	8	4	5	5	2	3		6	3	3		153
ORDER 2.																						
 Syphilis Stricture of the Urethra 	8					***									•••							8
3. Hydrophobia																						
4. Glanders																						
	8								,													8
		-	-																			
Order 3. 1. Privation																						
2. Want of Breast Milk	14																					14
3. Purpura and Scurvy 4. Alcoholism—	2																					2
a. Del. Tremens										1					2							3
b. Intemperance									1		1	6	2	1	2	1	1					15
	16								1	1	1	6	2	1	4	1	1					34
Oppose 4		-			-																	
ORDER 4. 1. Thrush	4																					4
2. Worms, &c			2																			2
2a. Hydatid									• • • •													
	-4		2																			6
Total, Class I	75	20	11	7	1	11	4	1	9	7	9	10	7	6	6	4	1	6	3	3		201
			-																			7
CLASS II.—ORDER 1.																						1
1. Gout																1						11
	2							1				1 1	 1 1	 1 2	5	1 1	3 5	 2 2	2		•••	11 20
1. Gout 2. Dropsy 3. Cancer 3a. Tumour	2							1				- 1	1	1			3	2				
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus	2							1		 1 	•••	1	1 1 	1 2 	5	1 	3 5 	2	2	1 		20 1
1. Gout 2. Dropsy 3. Cancer 3a. Tumour	2							1		 1		1 1	1 1	1 2 	5	" 1	3 5 	2 2	2	1 		20 1
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	2							1		 1 		1	1 	1 2 	5	1 	3 5	2 2	2	1 		20 1 2
1. Gout	2							1		 1 		1	1 1 	1 2 	5 1	"i "i … …	3 5 1	2 2	2	1 		20 1
1. Gout	2 2							1 1		 1 1		1 2	1 2	1 2 3	5 1 6	"i "i … …	3 5 1 9	2 2	2 2	1		20 1 2
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification ORDER 2. 1. Scrofula 2. Tabes Mesenterica.	2 2 12	 						1		1		1 1 2	1 1 2	1 2 3	5 1 6	1 2	3 5 1 9	2 2 4	2 2	1 		20 1 2 35 35 26
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis	2 2 12 2		2	 		1		1 1 5		 1 1 1 17		1 1 2	1 1 2 21	1 2 3 	5 1 6	1 2	3 5 1 9	2 2 4	2 2	1 1		20 1 2 35
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis	2 2 12	 		 				1		 1 1 1 17		1 1 2	1 1 2	1 2 3	5 1 6	1 2	3 5 1 9	2 2 4	2 2	1	 	20 1 2 35 35 26
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis	2 2 12 2 		2	 		1		1 1 5		 1 1 1 17		1 1 2 11	1 1 2 21	1 2 3 10	5 1 6 2	 1 2	3 5 1 9	4	2 2	1 1		20 1 2 35 35 26 109 1
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	2 2 12 2 5		2 1	 		1		1 1 5		 1 1 17 		1 1 2 11 	1 1 2 21 	3 3 10	5 1 6 2 	2 2 6 	3 5 1 9 3 	4	2 2 2	1 1		20 1 2 35 35 3 26 109 1 7
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	2 2 12 2 5	 11 1 	2 1	 		1		1 5		 1 1 17 		1 1 2 11 	1 1 2 21 	3 3 10 1	5 1 6 2 	2 2 6 	3 5 1 9 3 	4	2 2 2 2 	1		20 1 2 35 3 26 109 1 7 3

E 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis	5 1 59 1	7 10 	1 4	2	2 1 3	1 	3	1 	 1 1 	 1 	3 1 2	1 2 2	 2 2	 2 3 1	1 4 3 1	 4 1 1 2	5 5	2 3	 1 2 1 4	 1 2 3	1 1 	24 26 12 5 76 16
ORDER 2. 1. Pericarditis						 1 1	3	 1 1	3	 2 3 5	2 1 8	8	 2 18 20	 1 6 7	4	13	2 1 9	1 5 6	3	2		4 8 87
Order 3. 1. Laryngitis	18 8 8	 11 3	1 1 	 2 1	 1 2	3	 1	 1	 1	 1 5	" 1 " 1 …	 2 7	 1 6 	 1 5	2 4 3 	" 1 3	 6 2	 1 1	1 6 	 4 1 1	 2	4 61 2 53 13 3
6. Lung Disease, &c ORDER 4.	34	15	3	3	3	3	1	1	1	9	2	10	7	6	1 12	4	8	3	7	7	2	141
1. Gastritis	13 12 1 1	3 4	1 	1 			 1 1 1	3	1 4 1 	 1 		 1 1 1 	1 1 2 1 1	 2 	1 1 1 2	 1 	2 1	1	 1 1 			19 32 9 2 2 2 1 4
14. Jaundice 15. Liver Disease, &c	29	7	1	1			3	3	6	1 2		2 8	2 8	 1 3	 2 7	2 3	1 4	1 2 5	1	 1 1		15 94
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.								 1 1 2	 1 1	 1 1	 2 1 3	1 1 2	 4 2	1 2 1 4	1 1 2	 4 1 5	1 1 1	2 	 1 	 1 1		3 20 2 1 8
ORDER 7. 1. Arthritis				***											1 1							1 1
Order 8. 1. Phelgmon 2. Ulcer 3. Skin Disease, &c.		 1 1															1 1 2		-			1 4 5
Total, Class III	132	40	9	6	6	5	11	8	13	18	22	33	43	26	35	33	34	21	18	17	4	534

E 1—continued.

CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	5 1 5	10			1																	32 6 1 5 18 62
ORDER 3.																1	5	5	5	13	•••	29
ORIER 4. 1. Atrophy and Debility Total, Class IV		9															5	5	5	13	•••	93
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	4	 1	 1 	1	 1 	3 1 1 	2	1	6	6	7 1 3	2 2	3 1	3	8 1 1	2	2 1	2	1		1	50 1 2 1 2 12 6 2
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise	4																3					
ORDER 3.—HOMICIDE. 1. Murder	1 3									1	 1 1				 1 1				•••			2 6 8
Order 4.—Suicide. 1. Wounds { Gunshot Cut,Stab,&c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									1	2	3 1 1 	2 1	2	1 1 1			1					7 2 2 2 2 1 1 - 16
Order 5.—Execution. 1. Hanging									1	2	5	3	2	2			1					
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)	}						1	1	1	2			1		3	1	1		1		1	13
Total, Class V	8	1	1	1	1	5	3	4	8	17	17	7	7	5	.14	3	5	2	2		2	113
Causes not specified, or ill-defined		1			1	1	2			2	1		4	2	2						14	30
GRAND TOTALS	373	94	24	15	10	23	21	19	43	62	66	63	84	53	65	49	57	38	32	34	21	1,246

E 2,

Deaths from all causes, of Females, at different ages, registered in Sydney, from 1st January to 31st December, 1883.

Class I, -Order 1			ı	1	1	1	1	1	1	1	1	1	1	1	1	i	1	1	1	i	1	- rj	1
1. Small-pox	CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	\$	3 to 4 years.	5	5 to 10 years.	10 to 15 years.	15 to 20 years.	1 09	25 to 30 years.	to	35 to 40 years.	40 to 45 years.	to	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
1. Small-pox	Cruss I Opport 1																				1		
1. 1. 1. 2.	1. Small-pox																						1
3. Scriatina	1a. Chicken-pox																	1				1	
3a Diphtheria	3. Scarlatina										í			1							1 -		
5. Crusp	3a. Diphtheria	•••													1					-			5
6. Whooping-cough 2 7. Typhotol (and Infantial 2 7. Typhotol (and Infantial 3 4 9 8 7 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5. Croup												1										
S. Erysipeles	6. Whooping-cough 7. Typhoid (and Infantile	2		•••												•••							
9. Metria 10. Carbunele 11. Influenza 12. 13. 14. 14. 15	8. Ervsipelas																						
11. Influenza	9. Metria																						
12. Dysentey	10. Carbuncle																						
13. Diarrhose	12. Dysentery												-										
15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyemia 18. P	13. Diarrhea					1									1	2	3		3	2			
16. Remutter Feyer 17. Rheumatism 18. Pyemia 18. Pyemia 19.	15. Ague																						
18. Pyemia	16. Remittent Fever																						
42 27 4 8 8 6 8 10 8 7 1 2 2 1 5 4 4 3 2 152	17. Kheumatism																					some !	
Order 2. 1. Syphilis	To. Tyamia																						
1. Syphilis													-							_		7 11 1	
2. Stricture of the Urethra 3. Hydrophobia	1. Syphilis	2								1			1	1									5
4. Glanders 2	2. Stricture of the Urethra																						
ORDER 3. 1. Privation	3. Hydrophobia																					1.000	
ORDER 3. 1. Privation	-																					•••	
1. Privation		2								1				1									5
1. Privation	ORDER 3.											-											
3. Purpura and Scurvy. 4. Aleoholism:— a. Del. Tremens. b. Intemperance 6	1. Privation	_													1			1					2
4. Alcoholism:— a. Del. Tremens.									9											•••			
b. Intemperance 1	4. Alcoholism:—	•••					•••	•••		•••													•••
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 4 1. Todal, Class I 2. Dropsy 4 1. Todal, Class I 2. Dropsy 4 1. Todal, Class I 2. Dropsy 4 3 4 3 3 4 3 4 3 4 3 4 3 4 3 4 4 5	a. Del. Tremens	•••	,			••••	• • • •	•••															
Order 4. 1. Thrush 4	o. Intemperance													1							1	• • • •	15
1. Thrush 4	-	6					•		• • • •	• • • •	3	2	3	1	3	2	1	3			1	•••	25
1. Thrush 4	ORDER 4.																			,			
2a. Hydatid	1. Thrush	4					•••																4
Total, Class I	2. Worms, &c																						
Total, Class I 54 27 4 8 8 6 8 10 9 10 3 6 4 4 7 5 3 4 3 3 186 CLASS II.—Order 1. 1. Gout 2. Dropsy 4																						•••	•••
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 4	m . 1 . 01 . T																						4
1. Gout <	Total, Class 1	54	27	4	8	8			10			3		4	4	7	5	3	4	3	3		186
1. Gout <	CLASS II.—ORDER 1																	,	-			7	
2. Dropsy	1. Gout																						
3a. Tumour	2. Dropsy							1			•••				3	2	2	- 1					16
3b. Polypus	3a. Tumour																						
5. Mortification 1 1 1 1 1 4 3 6 10 9 4 2 1 2 50	3b. Polypus	•••																					
5 1 1 1 1 4 3 6 10 9 4 2 1 2 50	5. Mortification																						***
				,																		_	
LIVIDED Y	-							-														7	
1 Savefule	ORDER 2.							1										7		-			
2. Tabes Mesenterica 17 4 1 1 1	2. Tabes Mesenterica	17				1																	
3. Phthisis	3. Phthisis						3	2	7	20	20	18	11										118
4. Hydrocephalus 5 1 1 1	4. Hydrocephalus																						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4a. Abscess																						
24 5 1 1 2 3 4 8 20 20 18 12 13 5 5 3 4 1 4 1 154		24	5	1	1	2	3	4	8	20	20	18	12	13	5	5	3	4					154
Total, Class II 29 5 1 2 2 3 5 9 20 21 18 16 16 11 15 12 8 3 5 3 204	Total, Class II	29	5	1	2	2	3	5	9	20	21	18	16	16	11	15	12	8	3	5	3	, ,	204

E 2—continued.

	- 5			1			- 11	-	conti		•											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	8 1 40 2	4	2	2 1 2 			1 1	1 	3 2	 1 1 	 1 2 1	4 1 1	 4 1 2	3 2 2 1	4 1 3	 1 1 1 1	 1 1 3	 2 1 	1 2	1 2 1		17 26 12 8 58 22
-	51	15	5	5	3	1	3	1	5	2	4	6	7	8	8	4	5	-3	3	4		143
Order 2. 1. Pericarditis								1	1	3	1 4 5	4	4	4	3	1 2 3	9	2	3	3		1 1 43 45
Order 3. 1. Laryngitis	 22 7 3 1 	6 6 1 	 1 2 	 1 	1 1 2	1 1 2		1	 2 	 2 	2 2 	 2 1 	3	3 	1 1 	1 1 	2 2 2	5 2 1 8	3 1 	7 7		 51 33 11 1 2
Order 4. 1. Gastritis	2 1	2 2	1 				1 1	2 1 	2	1 3 1	2	1 1 1	1	1 4	1 1 1 1 1 4		1	2				15 23 11 3 3 1 1 4 2 15 78
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c			1 						 2 1 	 1 		3 1	 4 	 1 		 1 1 	 1 	 1 				 15 1 1 2
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c									1				•••									₁
ORDER 7. 1. Arthritis			 		•••												1 1		 1 1			1 1 2
ORDER 8. 1. Phlegmon															1 							₁
TOTAL, CLASS III	112	33	10	6	5	3	5	6	15	13	17	24	21	21	18	10	25	16	13	14		387

E 2—continued.

			1		1	1	1	1	1	1	1	1	1	1	19	1	1	1	1	1	.pe	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	23																					23
2. Cyanosis	2										•••											2
4. Other Malformations	1																					1 11
5. Teething	10	1	•••	•••	- 1 -																	
	36	1		•••																		37
ORDER 2.																						
1. Paramenia									2	1	2	2	2						•••			9
2. Childbirth (see Metha)									2	1	2	2	2				-					9
								0 0 0														
ORDER 3.																1	6	2	16	23		48
1. Old Age																1	-		10		•••	40
ORDER 4.	50	11	1																			68
1. Atrophy and Debility	56		1					4		•••												
Total, Class IV	92	12	1					•••	2	1	2	2	2			1	6	2	16	23		162
CLASS V.—ORDER 1.—						7 (
ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions	1	1		2										2			1					7
2. Wounds $\begin{cases} a. \text{ Gunshot} \\ b. \text{ Cuts} \end{cases}$																						
3. Burns and Scalds								1														1
3a. Sunstroke																				}		
4. Poison					.,.	***																
4a. Bite of Snake or Insect 5. Drowning			1	•••				1										1				3
6. Suffocation								e														
7. Otherwise																						
	1	1	1	2				2						2			1	1				
Order 2.—																						
VIOLENT DEATHS IN BATTLE																						
1. Gunshot Wounds 2. Sword and Bayonet																						
Wounds																						
3. Otherwise																						
ORDER 3.—Homicide.																						
1. Murder 2. Manslaughter	3								1			1		1	1							5 2
	3								1			1		1	1							7
												0										
ORDER 4.—SUICIDE.																						
1. Wounds {Gunshot Cut,Stab,&c		:::																				
2. Poison																						
3. Drowning																						
5. Otherwise						*																
Order 5.—Execution. 1. Hanging																						
Violent Deaths, not classed (open verdicts, found drowned, &c.)	1								1													2
Total, Class V	5	1	1	2				2	2			1		3	1		1	1				20
Causes not specified or ill-										_									-			
defined	3 295	78	1 18	18	15	1 13	18	27	1 49	$\frac{4}{49}$	40	49	1 44	$\frac{2}{41}$	$\frac{1}{42}$	28	43	26	38	43	13	$\frac{28}{987}$
GRAND TOTALS	200	10	10	10	10	19	10	21	13	10	10	1 40	11	AIL	42	20	40	20	30	1 40	19	987

E 3.

Deaths from all causes, of Both Sexes, at different ages, registered in Sydney, from 1st January to 1st December, 1883.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox																						
1a. Chicken-pox	1																					1
2. Measles	3	2 2	3	1			1															10 2
3a. Diphtheria	2		2	4	2	2		1														13
4. Quinsy				1		1														1		3
5. Croup 6. Whooping-cough	1 2	8	6	6	6	5	2															34
7. Typhoid (and Infantile)																						-
Fever)	1 2	2	1	2		7	7	9	14	12	7	4	5	2	2			2	1	1		77 5
9. Metria																						
10. Carbuncle																						
11. Influenza 12. Dysentery	1								1			1		1	1	1		1	1			8
13. Diarrhœa	65	29			1								2	1	3	4		6	3	3		117
14. Cholera	11	4		1		1												1	1			19
16. Remittent Fever							1															1
17. Rheumatism							1		1	1	2	1		1		1						8 4
18. Pyæmia						1		1		•••	•••			1		1	•••					4
	89	47	13	15	9	17	12	11	16	13	9	6	7	6	7	7		10	6	5		305
Order 2. 1. Syphilis	10								1			1	1									13
2. Stricture of the Urethra													1									
3. Hydrophobia																						
4. Glanders		,			•••					•••												•••
	10								1			1	1				****					13
Order 3.																						
1. Privation 2. Want of Breast Milk	20													1			1			•••		20
3. Purpura and Scurvy	2																					2
4. Alcoholism—										0				1	0							5
a Del. Tremens b Intemperance									1	2 2	3	9	3	1 2	2 4	2	3			1		30
	22								1	4	3	9	3	4	6	2	4			1		59
		-						-										-			140.00	
ORDER 4.																						
1. Thrush	8		2																			8 2
2a. Hydatid																						
			2																			10
Total, Class I	129	47	15	15	9	17	12	11	18	17	12	16	11	10	13	9	4	10	6	- 6		387
20003, 0.0000 2.00000														1						-		
Class II.—Order 1.																						
1. Gout																1						1
2. Dropsy	6						-1	1				1 4	1	4 4	2 13	2 8	4 8	2 4	1 2	2		27 49
3. Cancer				1				1		2		1	4	1	15			4		1		5
ou. I umour							1															
3a. Tumour															1		1					3
3b. Polypus	1																					
3b. Polypus	1						-	-		2		6	5	9	16	11	13	6	3	3		85
3b. Polypus 4. Noma 5. Mortification	_			1			1	2														
3b. Polypus 4. Noma 5. Mortification Order 3.	7			1													1		1			6
Order 3. 1. Scrofula	1					1	1										1		1			6 49
3b. Polypus 4. Noma 5. Mortification ORDER 3. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis	1 7 2 29 4		2	1 2	1 1	1 3	1 2			37	34	22	34	 15	7	9	6	1	5	1		49 227
3b. Polypus 4. Noma 5. Mortification Order 3. 1. Scrofula	1 7 2 29 4	 15 1			1 1	1 3	1 2	12	33	37	34	22 		15 	7		6	1	5	1	 1	49 227 2
3b. Polypus 4. Noma 5. Mortification ORDER 3. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis	1 7 2 29 4		2	1 2	1 1	1 3	1 2			37	34	22	34	 15	7	9	6	1	5	1		49 227
3b. Polypus 4. Noma 5. Mortification ORDER 3. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hœmoptysis 4. Hydrocephalus	7 2 29 4 	 15 1 2	 2 2	2	1 1	1 3	1 2 	12	33	37	34	22 	34	15 	7	9	6	1 	5	1 	 1 	49 227 2 14
3b. Polypus 4. Noma 5. Mortification ORDER 3. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hœmoptysis 4. Hydrocephalus	1 7 2 29 4 10	 15 1 2	 2 2 2		1 1 	1 3	1 2 2	 12 1 	33	37	34	22 1	34	15 1	7	9	6	1 	5	1	 1 	49 227 2 14 5

E 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis	13 2 99 3	11	3 7 	4 1 2	2 1 2 1	1 1	4 1 1	1 1	3 1 1 2	1 1 1 	 4 3 3	1 4 3 3	6 1 2	5 5 2 2	1 8 4 	5 2 1 1 3	5 1 1 3	 4 1 3	 2 2 3	2 4 4	1 1	41 52 24 13 134 38
	117	32	10	7	6	2	6	2	7	3	10	11	9	14	17	12	10	8	7	10		302
Order 2. 1. Pericarditis		•••				1	3	2	 4 —~	 2 6	3 1 12	12	2 22 	1 10	7	1 15	2 1 18	1 7	6	 5		5 9 130
						1	3	2	4	8	16	12	24	11	7	16	21	8		5		144
Order 3. 1. Laryngitis	 40 15 11	17 9 2	1 1 1 3	 2 1 1	 2 2 1	 4 1	 1 	 2 	3	 1 7 1	3	2 9 1	 1 9 	 4 5 	2 5 4 2	1 4 	8 4	5 3 2	1 9 1 	11 1 1	 2 	4 112 2 86 24
6. Lung Disease, &c			•••	•••						1		1		•••	1		2	1		1		7
	67	28	6	4	5	5	1	2	3	11	4	13	10	9	14	5	14	11	11	14	2	239
Order 4. 1. Gastritis	25 24 3 1 1 2 57	5 6	2	······································			2 2	5 1 	1 6 1 1 	 1 4 1 1	2 	2 2 1 1 1 3 5 15	2 1 2 1 1 4 	 1 2 5 8	1 1 1 1 1 3 3 11	 1 2 3	1 1 1 7	 1 2 1 1 2 	1 1 1 2 5	 1		34 55 20 5 2 3 2 1 1 1 4 10 4 30
Order 5. 1. Nephritis	 1		 1 	 				 1 1 	 3 1 	2 	 2 1 1 	 3 1 2	8 2	1 3 1	1 1 	 5 1 1	1 2 1 -4		 1 	 1 		35 35 3 1 1 10 ——————————————————————————————
ORDER 6.							-															
1. Ovarian Dropsy 2. Uterus Disease, &c									 1 1	··· 			 			•••						1
Conne M																						
ORDER 7. 1. Arthritis							 1								1 		 		 1			22
						•••	1	•••					~		1	•••	1		1			4
Order 8. 1. Phlegmon	 2 2	 1 1													1 	 7	1 1 2					 2 4 ——————————————————————————————
	6.1									0.7	2.2		2:									
TOTAL, CLASS III	244	73	19	12	11	8	16	14	28	31	39	57	64	47	53	43	59	37	31	31	4	921

 $\to 3$ —continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	55 7 1 6 18				 1 																	55 8 1 6 29
	87	11			1	• • • • • • • • • • • • • • • • • • • •			····						•••							99
ORDER 2. 1. Paramenia									2	1	2	2	2		•••		•••					9
									2	1	2	2	2									9
ORDER 3. 1. Old Age					•••											2	11	7	21	36		77
ORDER 4. 1. Atrophy and Debility	140	20	1					•••		•••				• • •							•••	161
Total, Class IV	227	31	1		1				2	1	2	2	2			2	11	7	21	36		346
CLASS V.—ORDER 1. ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise		1 1	1 1 	3	1 	3 1 1 	2	1 1 2 	6	6	7 1 3 	2	3 1	5	8 1 1	2	3 1	2 1	1		1 	57 1 3 1 2 15 6 2
	5	2	2	3	1	5	2	4	6	12	11	4	4	5	10	2	4	3	1		1	87
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						•••
ORDER 3.—HOMICIDE. 1. Murder	4 3		•••					i	1	1		1		1	2		•••					7 8
	7					• • •		1	1	1	1	1		1	2							15
ORDER 4.—SUICIDE. 1. Wounds {Gunshot Cut,Stab,&c. 2. Poison									 1 	2	3 1 1 	2 1	2	1 1 			1					7 2 2 2 2 2 1
									1	2	5	3	2	2			1					16
Order 5.—Execution. 1. Hanging	_										•••								·			
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)							1	1	2	2			1		3	1	1		1		1	15
Total, Class V	13	2	2	3	1	5	3	6	10	17	17	8	7	8	15	3	6	3	2		2	133
Causes not specified or ill-defined	3	1	1		1	2	2		1	6	1		5	4	3				1		27	58
GRAND TOTAL	668	172	42	33	25	36	39	46	92	111	106	112	128	94	107	77	100	64	70	77	34	2,233

F 1.

Deaths from all causes, of Males, at different ages, registered in Suburban Districts, from the 1st January to the 31st December, 1883.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
																			-			
CLASS I.—ORDER 1. 1. Small-pox											,											
1a. Chicken-pox																						
2. Measles	3	2 3	1		1	1									•••	•••	· · · ·					5
3a. Diphtheria	2	1	2	2	4	6	1															18
4. Quinsy			1														• • • •					30
5. Croup	5 3	6	8	4	4	3									•••					• • • •		3
7. Typhus (and Infantile)						0			_	0	70	9	0	1	=					1		48
Fever)	1	1		2		3	1	7	5	6	10	3	3	1	5							2
9. Metria																						
10. Carbuncle										•••		···	1								1	1
12. Dysentery	4																					4
13. Diarrhœa	76	20	2	1		1		1			•••	1	1 1	•••	2		1	5	1	1		111 15
14. Cholera	8	3	1																			
16. Remittent Fever	,		•••										$\frac{1}{2}$		3			1				1 11
17. Rheumatism	1			•••			1		1		1 1	1	1	1								3
	103	36	15	9	9-	14	3	8	6	6	12	5	10	3	10		1	6	1	2	1	260
Order 2.																			- 2			
1. Syphilis	3														1							4
 Stricture of the Urethra Hydrophobia 												•••							•••			
4. Glanders																						
	3														1		1					4
									•••								-					
ORDER 3.														1								
1. Privation	6										•••											6
3. Purpura and Scurvy	1																					1
4. Alcoholism— a. Del. Tremens																						
b. Intemperance											1.	1	1	3	2	1			•••	1		10
	7										1	1	1	3	2	1				1		17
ORDER 4.																						9
1. Thrush	3					1									•••							3
2a. Hydatid						1																1
	3					2																5
Total, Class I	116	36	15	9	9	16	3	8	6	6	13	6	11	6	13	1	1	6	1	3	1	286
																		-			-	
CLASS II —ORDER 1													1									1
CLASS II.—ORDER 1. 1. Gout												1	1	1	1 3	2	1 4	$\frac{2}{2}$	2	1 1	1	13 17
1. Gout	1			1			2	•••		1			1				4.	-				71
1. Gout									 1	1	•••		1 1	1	1							5
1. Gout	1 1 		•••	1		•••	2 1		1 	1			1		1							
1. Gout	1 1		•••	1			2 1		1	1			1		1							
1. Gout	1 1 		•••	1		•••	2 1 		1 	1			1 		1							
1. Gout	1 1 			1			2 1 1		"i … …	1 		 1	1 		1 1		••••	2		 1		6
1. Gout	1 2			1			2 1 1		"i … …	1 		 1	1 		1 1		••••	2		 1		 6 42
1. Gout	1 2 1 14		 1	1			2 1 1 -4 		1 1	1		 1 2	1 4 	2 	1 1 6 	 2 	5	6	2	 1 3	1	${6}$ $\frac{42}{28}$
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hœmoptysis	1 2			1			2 1 1 4		1	1 1		 1 2	1 4	2 	1 1 6	 	5	2 6	2	 1 3	1	1 28 139
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3 Phthisis 3a. Hemoptysis 4. Hydrocephalus	1 1 2 1 14 9 2			1 1			2 1 1 4		1 1 15 	1 1		 1 2 18 	1 4 19 	 2 10 	1 1 6 9 	 2 5 	5 1 	6	2	3	1 2	6 42 1 28 139
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hemoptysis	1 1 2 1 14 9 2		 1	1 1		 1	2 1 1 4	8	1 1 1 15 	1 1 21 		 1 2 18 	1 4 19 	2 	1 1 6 9 	2 5 	5 1 	6	2	3 	1 2	1 28 139
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hemoptysis 4. Hydrocephalus	1 1 2 1 14 9 2			1 1			2 1 1 4		1 1 15 	1 1		 1 2 18 	1 4 19 	 2 10 	1 1 6 9 	 2 5 	5 1 	6	2	3	1 2	6 42 1 28 139

F 1—continued.

	7									inue											1	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c		7 2 18	3 44			2 2	1 1		1 1 1 	2 3 1 1 3 	 1 1 1	1 1 2 1 	1 4 1 	2 2 1 	1 1 	3 1 2	6 4	 5 3 2	1 2 1	 4 3 	1	37 39 16 6 7 83 16
	85	27	7		1	4	2	2	3	10	3	6	6	6	3	6	11	10	4	7	1	204
ORDER 2. 1. Pericarditis	3					 1 1	2	2 2		4	4	3	 5 —————————————————————————————————	1 6 7	3	1 5	6	1 11 12	4 4	5 5		$ \begin{array}{c} 3 \\ 2 \\ 64 \\ \hline 69 \end{array} $
Order 3. 1. Laryngitis	36 14 8 1	10 7 3 1 21	1 5 	 2 1 	1 1 1 		 1 		1 1 1 	1 1 5 2 	1 3 1.	 2 1 	 2 1 2 	 2 3 1	 4 1 1	3 1 1 5	 1 3 1 	 1 1 	4 1 2 7	1 3 1 	 1 1 2	3 65 3 56 20 7 4 158
ORDER 4. 1. Gastritis	27 1 1 2 2 1 3	1 9 1 	1 		1 1 	1 2 1		 2 1 	1 1 1 	 1 1 1 	1 1 1 	 1 1 	1 2 1 1 2 5	 1 4	1	1	1		1	1	1	21 44 10 3 1 1 1 4 2 3 8 4 23 1
Order 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis	1								1	 2 	 1 	1	1	6 2 	1 1	 1 	3 1 	 2		 1 1		 11 3 3
7. Kidney Disease, &c	1								1	2	1	2	2	1 3 	2	3	1	2	***	2		5 22
ORDER 7. 1. Arthritis						1				•••					 1 1							1 1
Order 8. 1. Phelgmon	2																					2
Total, Class III	202	59	14	4	6	11	5	9	9	29	16	16	29	28	19	26	26	28	20	22	4	582

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	$ \begin{array}{c} 41 \\ 6 \\ 1 \\ 15 \\ \hline 64 \end{array} $	 8																				41 6 1 1 23 72
ORDER 3. 1. Old Age			•••														10	4	3	32		49
ORDER 4. 1. Atrophy and Debility Total, Class IV	119 183	20 28	1 1	•••													10	4	3	32	•••	140 261
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise		 1 1 1 	1 1 1 	 1 1 1 		2 1 5 1 	1 2 3	 1 	3 1 2 1 7	1 1 1 3	3 2 1 6	2 1 	4 1 5	1 1 1 2 	1 1 2	3 1 	1 1	 1 		1 1 2		23 3 1 3 1 4 19 5 2
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																					; ;	
Order 3.—Homicide. 1. Murder							•••												•••			
Order 4.—Suicide. 1. Wounds { Gunshot Cut,Stab,&c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									 1 	1 1	 1	1	 1 1 2		 1 					 1 		2 1 3 2 8
Order 5.—Execution. 1. Hanging																						
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c)	\frac{\}{\} \ldots																					
Total, Class V	2	2	2	2		9	3	1	8	4	7	4	7	5	3	4	2	1		3		69
Causes not specified, or ill-defined						1							<i>,</i>			1				1	1	4
GRAND TOTALS	531	141	33	17	16	38	15	26	39	61	52	46	70	51	50	39	45	47	26	64	9	1,416

F 2.

DEATHS from all causes, of Females, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1883.

1			1				1				883.	1		;		1		-1			: 1	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
]								
Class I.—Order 1. 1. Small-pox																						
1a. Chicken-pox																						
2. Measles	2	2		2	1	2	1															7 3
3a. Diphtheria	3	1	4	2	2	6	1	1														20
4. Quinsy	1 4	4	2	1	2	2																15
6. Whooping-cough 7. Typhoid (and Infantile	2																					2
Fever)	1	1	2	1	2	3	3	6	3	4	5	2	2	2	5	2				1		45
8. Erysipelas		1							1											1		3
10. Carbuncle																						
11. Influenza	1	2											1					1	 1			1 6
13. Diarrhea	86	33	2					1	1	1		1	1	3	1			2		2		134
14. Cholera	3	1	1	1																		6
16. Remittent Fever									1													1
17. Rheumatism	1					1	1		1	3		1		1	1	1	1					9 7
-	105	45	11	7	7	15	6	8	8	9	5	5	4	6	7	3	1	3	1	4		260
		-		-				-													-	
ORDER 2.	0		7																			0
1. Syphilis	2		1																			3
3. Hydrophobia																						
4. Glanders																						
	2		1																			3
Order 3.																						
1. Privation																						
 Want of Breast Milk Purpura and Scurvy 	6					1											···		•••			6 2
4. Alcoholism:— a. Del. Tremens																						
b. Intemperance											1		1		1		1					4
	7					1					1		1		1		1					12
			_		-		_					-			-			-		-		
ORDER 4. 1. Thrush	2																					2
2. Worms, &c																						
2a. Hydatid	•••								1													1
	2								1								,				7	3
Total, Class I	116	45	12	7	7	16	6	8	9	9	6	5	5	6	8	3	2	3	1	4		278
CLASS II.—ORDER 1.		-																				
1. Gout											2		2				1					1
2. Dropsy				1		1						2	1	1 4	4	1	5	3	1	1		10 22
3a. Tumour			1							1	2					3		1				8
3b. Polypus													1									1
5. Mortification						1				1							1					3
			1	1		2		,	1	2	4	2	4	5	4	4	7	5	2	1		45
Order 2. 1. Scrofula	1								2					1								4
- m :	13	13	1	1																		28
2. Tabes Mesenterica	6	6			1	1	4	9	16	24	10	13	8	8	5	3	2					116
3. Phthisis													1									7
3. Phthisis	4	3		1														1		-	-	. 9
3. Phthisis	4	1											-	-	-	-	-	-	-			3
3. Phthisis	4			1	1	1 3	4	9	18	24	10	14	9	10	5	3	2	1 6				160

F 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis	12 2 35 1	8 1 14 	 2 1	2 1 	1 1 	1 	2 1 1 2	 1 1 4 1	1 3 	 3 	 2 1	1 3 1 1 1	2 2 2 4	 3 1 1 2 7	2 1 1	 3 3 1 7	1 1 1	1 2 2 	3 1 	3 3 6		29 29 16 21 51 11
Order 2. 1. Pericarditis 2. Aneurism	4 4	 1 1				3	 1 1	4 4	4 4	3	 3 	7	 5 	3	 2 2	3	 8 	4		 2 		 57 57
Order 3. 1. Laryngitis	 25 12 5 1 2	3 9 12 1 25	4 4 1 9	1 1 1 		2 4 	 1 1 2	1 1 1 	 1 4 	 2 1 	 2 	2 2 1 5	 3 1 	 1 1 	 1 1 2	 1 1 	10 1 1 1 12	 4 1 5	 1 1 2	 4 2 	1 1 	4 64 4 51 13 5 3
Order 4. 1. Gastritis	16 22 2 	6 8	1 1 	1		1 1		 2 2 	1 1 	3 4 1 1 1 1 1 1 1 1 1 1	 3 1 1	2 1 1 1 2	 1 1 1 1	1 1 1 1 	 1 2 1	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	 1 1 1 	 1 1 2	2 1	2		26 43 14 5 1 4 2 4 4
Order 5. 1. Nephritis			1 1	2		2 	1 1 	4		10 3 3	1 1	7 3 3	3	4	4 1 	2 1 2 3	3 1 1 2	4	3	2		114 2 10 3 2 17
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c																2						***
Order 7. 1. Arthritis																						
Order 8. 1. Phlegmon																1 1						 1 3 4
TOTAL, CLASS III	142	63	17	8	2	12	11	18	15	22	14	29	16	16	13	18	33	18	9	16	1	493

F 2—continued.

CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	37		1																			37
2. Cyanosis																						
3. Spina Bifida	2 4																					2 4
5. Teething	14	7																			1	21
	57	7																				64
ORDER 2. 1. Paramenia									1	4	2	2			**1			· · ·				
- Childentin (seemesha)									1	4	2	2	1									10
																			-			
ORDER 3. 1. Old Age																	7	6	10	22		45
ORDER 4. 1. Atrophy and Debility	140	28	4														•••					172
Total, Class IV	197	35	4						1	4	2	2	1				7	6	10	22		291
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions			1			1			1		1				1			•••	1			6
2. Wounds { a Gunshot b Cuts										2												2
3. Burns and Scalds 3a. Sunstroke		1	1		1		1			1										1		5
4. Poison								1			1											2
4a. Bite of Snake or Insect 5. Drowning		1	2	1		1	1	1	1	1				••••				1				10
6. Suffocation	2					1																3
7. Otherwise		•••	***																			
	2	2	4	1	1	3	2	2	2	4	2				1			1	1	1		29
Ordre 2.—Violent Deaths in Battle, 1. Gunshot Wounds 2. Sword and Bayonet Wounds						•••																
3. Otherwise																					•••	•••
Order 3.—Homicide.												1										
1. Murder																						
2. Manslaughter	••••																	•••				• • • •
				,													•••					
ORDER 4.—SUICIDE.																						
1. Wounds (Gunshot Cut,Stab,&c																						
 Poison Drowning 						***																***
4. Hanging															1							1
5. Otherwise						••••																
												•••			1		•••	•••				1
ORDER 5.—EXECUTION.																	•••		•••			•••
1. Hanging																						
Violent Deaths (not classed) Open Verdicts—Found							***							••••						***		
Violent Deaths (not classed) Open Verdicts—Found Drowned, &c						-	-	-										1			-	
Violent Deaths (not classed) Open Verdicts—Found Drowned, &c Total, Class V	2	2	4	1	1	3	2	2	2	4	2				2			1	1	1		30
Violent Deaths (not classed) Open Verdicts—Found Drowned, &c		-		-	-	-	2	2	2	4	2				1				1	1	1	30

F 3.

Deaths from all causes, of Both Sexes, at different ages, registered in Suburban Districts, from 1st January, to 31st December, 1883.

		1	1 1) 1		0100								1 1			-		1	d.	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1. 1. Small-pox																						
1a. Chicken-pox						•••																
2. Measles	5	3	1	2	1	2	1				•••											13 8
3a. Diphtheria	5 1	2	6	4	6	12	2	1					• • • •					•••				38 2
4. Quinsy	9	10	$\begin{vmatrix} 1 \\ 10 \end{vmatrix}$	5	6	5												•••		•••		45
6. Whooping-cough 7. Typhus (and Infantile	5							• • • •					• • •	•••	•••	•••			•••			5
Fever)	1	2	2	3	2	6	4	13	8	10	15	5	5	3	10	2				2		93
8. Erysipelas	1	1							1		•••			1						1		5
10. Carbuncle	1																				1	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$
12. Dysentery	5	2											1					1	1			10
13. Diarrhœa	162 11	53	4 2	1 1		1		2	1	1		2	2	3	2		1	7	1	3		246
15. Ague									•••		•••	•••										
16. Remittent Fever 17. Rheumatism						1	2		$\frac{1}{2}$	3	 1	2	$\frac{1}{2}$	2	4			1				$\begin{vmatrix} 2\\20 \end{vmatrix}$
18. Pyæmia	2					1			1	1	1	1	1			1	1					10
	208	81	26	16	16	29	9	16	14	15	17	10	14	9	17	3	2	9	2	6	1	520
																						N. A.
ORDER 2. 1. Syphilis	5		1												1						***	7
2. Stricture of the Urethra												•••										
3. Hydrophobia																			.,.			
	5		1												1							7
ORDER 3.																						
1. Privation	12														•••							12
3. Purpura and Scurvy	2					1																3
4. Alcoholism— a. Del. Tremens																						
b. Intemperance											2	1	2	3	3	1	1			1		14
	14					1					2	1	2	3	3	1	1			1		29
ORDER 4. 1. Thrush	5																					5
2. Worms, &c						1																$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$
2a. Hydatid			•••			1		•••	1													
	5				•••	2			1													8
Total, Class I	232	81	27	16	16	32	9	16	15	15	19	11	16	12	21	4	3	9	2	7	1	564
Criaga II Onno 1									9													
CLASS II.—ORDER 1. 1. Gout													1				1					2
2. Dropsy	. 1			2		1	2		1	1	2	1 2	3 2	5	7	3	1 9	3 5	1 3	1 2	1	23 39
3. Cancer	1		1				1		1		2		1		1	3		1				12
3b. Polypus										1			1									2
5. Mortification						1	1			1		1			1		1	2		1		9
	2		1	2		2	4		2	3	4	4	8	7	10	6	12	11	4	4	1	87
ORDER 2.	2								2					1				· · ·				5
2. Tabes Mesenterica	27	25	2	2			•••															56
3. Phthisis		9			1	2	4	17	31	45	26	31	27	18	14	8	3	2			2	255 2
4. Hydrocephalus	. 6	4										•••				•••						10
4a. Abscess		1			1					•••			1					1				4
0	50	39	2	2	2	2	4	17	33	45	26	32	28	20	14	8	3	3			2	332
Total, Class II	. 52	39	3	4	2	4	8	17	35	48	30	36	36	27	24	14	15	14	4	4	3	419

F 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	96	15 3 32 	3 6 1	2 1	1 1 1	3 2	3 1 1 3	1 1 4 3	2 1 4	2 3 1 1 6 	 1 1 2 2	2 4 1 2 2 2	6 1 2 1	5 3 1 1 3	1 3 1 1 	6 4 1 2	10 6 1 2	1 7 5 2	1 5 1 1	 7 6 	1 	32 6 28 134 27
	135	50	10	3	3	5	8	9	7	13	6	13	10	13	7	13	19	15	8	13	1	361
Order 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c		1				4	3	2 6 8	4	7	7 7	10	10	1 9 10	 5 	1 8 9	14	1 15 16	4	7 7		3 2 121 126
ORDER 3. 1. Laryngitis	61 26 13 2	3 19 19 4 	 5 9	1 2 2 1	1 1	 2 4 1	 1 1 1	1 1 1	 2 5	1 1 7 3	 1 5	 2 4 2	 5	1 2 4 1	 4 1 1 2	 4 2 1	11 3 1 2	5 1 1	 4 1 1 2	1 7 3	 1 2	7 129 7 107 34 12 6
o. Dung Disease, ac	105	46	15	6	3	7	3	3	8	12	7	8	9			7	17	7	9	11	3	302
	100	40	19		-	-	-		-			-						-			-	502
Order 4. 1. Gastritis	49 1 1 2 2 2 1 5	7 17 1	1 2 1 	1	1 1	1 1 3 1 		 2 3 2 	 1 1 1 	1 1 2 1 1	1 1 4 1 1 	2 1 2 1 1 2	1 3 1 1 1 2 5	 1 2 1 1 4	1 1 1 3 2	1 1 1 1 5	 1 1 1 3	1 1	3 1 1 1 1 2	1 2 1 	1	47 87 24 8 2 1 8 4 7 7 31
	91	25	4	3	2	6		7	4	14	8	9	14	10	8	8	6	6	8	5	1	239
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	1		1 1 2				 1 1 		 1 	5	1 1 	 3 1 1 5	1 1 2	 2 1 3	 2 1 3	 2 2 2	 2 1	 2 		 1 1 2		2 21 6 3 7
ORDER 7. 1. Arthritis						1	***															1
						1						144			1						••••	2
ORDER 8. 1. Phlegmon	 5			.7.												1						1 5
	5														20	1						6
Total, Class III	344	122	31	12	8	23	16	27	24	51	30	45	45	44	32	44	59	46	29	38	5	1,075

F 3—continued.

CAUSES OF DEATH	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations. 5. Teething	78 6 3 5 29																					78 6 3 5 44
Order 2.	121	15			•••																	136
2. Childbirth (see Metria) ORDER 3.								•••	1 1	4	2	2 2	1									10
ORDER 4. 1. Atrophy and Debility.	259	48 63	5 5						 	4							17		13 13			312
CLASS V—ORDER 1. ACCIDENT OR NEGLIGENCE. 1. Fracture & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise		 2 2 	1 2 3 6	 1 2 3	1 	3 1 6 2 	1 1 3 	 1 2 	4 1 3 19	1 2 2 7	4 2 1 1 8	2 1 3	4 1 5	1 1 1 2 5	2 1 	3 1 4	1 1 2	 1 1 1 	1 1	1 1 1 1 3		29 3 3 8 2 6 29 8 2
Order 2. ViolentDeaths in Battle 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE. 1. Murder								•••														
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &e				•••						1		1			2					1		2 1 4 2
ORDER 5.—EXECUTION. 1. Hanging	•••					***	•••				1	1		•••	2					1		9
Violent Deaths, not classed (Open verdicts — Found drowned, &c. Total, Class V		4	6	3		12	5	3	10	8	9	4	7	5	5	4		2		4		
Sudden Deaths (cause unascertained) Causes not specified or ill-				••••									•••	4.1. 0-110 VS			•••		111			
definedGRAND TOTALS	-	309	72	35	27	72	38	63	85	126	90	98	105	88	83	67	96	81	49	108	11	2,715

G 1.

DEATHS from all causes, of Males, at different ages, registered in the Country Districts, from 1st January to 31st December, 1883.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER. 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhea 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism	7 1 3 2 21 17 8 7 10 15 98 11 1	2 3 7 4 13 3 1 7 33 5	1 2 21 1 18 2 4 3 4 4	1 4 14 2 12 1 1 1					 		1 2 6 1 1 1											 14 17 83 15 95 22 113 11 1 22 50 178 22 5 18
18. Pyæmia	201	81	57	35	26	51	$\frac{1}{27}$	$\frac{2}{23}$	22	 19	 13	10	11	16		11	16	11	9	14	4	6 69
ORDER 2. 1. Syphilis	2 2										1 1 		1 		1 1			1 1 				5 3 8
Order 3. 1. Privation	10								1 1	1 1 2	 4.	1 5 6	3 1 4 8	1 1 1 3	1 1 6 8	3 1 2 6	6 2 8	3 1 1	1 1 2	1 1 2	4 3	25 10 1 7 29
ORDER 4. 1. Thrush	11	1	1					2					 1	 1						:::		13 ₇
Total, Class I	$-\frac{11}{224}$	$-\frac{1}{82}$	1 58	35	26	51	1 28	$\frac{2}{25}$	23	21	$\frac{1}{20}$	16	$\frac{1}{21}$	$\frac{1}{20}$	$\frac{1}{22}$	17	24	18	11	16	11	769
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	 1 1	3 1 1 1 1	1 	 1		 1 2 1 1 5	1 1 1 3		3 3	 1 2 3	 4. 2 6	 3 5 1 1 10	 2 5 7	3 10 1 	 5 8 2 3	7 9 3 19	10 13 2 2 2 7	 3 12 1 1 1 7	 5 9 14	6 8 14	 1 1 2	 60 87 9 1 16 173
ORDER 2. 1. Scrofula	3 32 6 9 	1 12 4 4 21	1 3 4		2 	4	1 1 1 3	17 1 18	28 1 29	42 1 43	2 38 40	38	1 31 32	1 23 2 1 27	23	 13 2	7	8	2 2	1 1 1 3	3	10 45 292 3 15 7
		27	7	1	2	9	6	18	32	46	46	48	39	41	41	34	34	25	16	17	5	545

G 1—continued.

															V-05							
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy	21 6 1 196 7	8 1 30 1	2 5 3	2	2 1 2 	5 1 3 5	2 1 1 2	3 1 2	1 1 2 7	3 1 1 2 8	2 3 1 2 5	6 2 4 1 4	3 7 2 6 	1 5 11 2 3 4	 4 7 4 2 9	2 9 3 6	1 10 9 1 1 2	1 5 12 4 7	 7 8 1 1 6	5 11 2 2	4	53 70 76 17 33 231 86
	231	40	10	2	5	14	6	6	11	15	13	17	24	26	26	20	24	29	23	20	4	566
ORDER 2. 1. Pericarditis	 2 8 10				1 1 2	 2 	1 3 -4	4	10	 3 —	6	1 4 19 24	4 1 15 20	3 23 26	1 25 26	3 21 24	1 32 33	1 3 29	$\begin{array}{c} 1 \\ 3 \\ 21 \\ \hline 25 \end{array}$	9	 2 	8 22 233 263
ORDER 3. 1. Laryngitis	2 80 2 42	22 19	 8 6	 6 2	3 3 6	1 9 1 8	3	 3 10	 2 1 16	 1 5 15	 2 13	 2 3 21	5 20	7 2 22	 6 2 18	 7 1 8	16 2 7	14 1 11	10 11	18 6	 2 1 5	6 218 26 269
Lungs, pulmonary 5. Asthma	10	5		1	1	1	1	1	1	1	$\frac{1}{2}$	3	$\frac{2}{2}$	1 5	1	2 4	3	2 2	4	3		35 29
6. Lung Disease, &c	3			1	1					1	2	1	1			1	2	1	1	1		16
	139	46	14	10	14	20	4	14	20	24	20	32	30	37	28	23	31	31	26	28	8	599
Order 4. 1. Gastritis	16 26 4 1 5 3 3 3 	1 8 	1 	 3 	2	3 1 1 	3 2	3 2	 5 2 1 1 	 4 1 1 1 	4	1 2 1 	1 1 2 1 1 1 1 1 8	 2 1 1 2 1 	5 1 1 2 1 2 2 6	 3 2 2 1 4	2 3 1 2 2 1 1 5	2 3 2 1 2 1 1 1 1 	 2 2 1 1 3	 1 2 1	 1 1 	28 80 26 3 1 8 13 4 17 7 19 14 41 1
To. Spicen Disease, de	66																		•••			
ORDER 5. 1. Nephritis		9 		3		1 1 	1 1 1	6	9 1 1	 2 1 1	1 1 	5 4 1	16 1 1 2 	14 1 1 1	1 1 5 2 2 1 1	2 2 2 1 2 1	2 2 1 1 4	21 5 1 3 2	9 1 1 1 1 3	3 1 2 1	3 	246 12 2 27 10 5 13 17
						2	3		2	4	3	5	4	3	13	8	10	11	11	7		86
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c																						
ORDER 7.																						
1. Arthritis							1	2							1							4
2. Joint Disease, &c		***																				
ORDER 8.							1	2							1							4
1. Phlegmon									·								1					1
2. Ulcer	4				1													1				2 4
	4				1																	
											• • • •			•••			1	1				7

G 1—continued.

1~	,						G	1-	-con	tinue	a.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	. 10	37																				1
ORDER 3.			•••											•••			49	40	110	281	8	488
ORDER 4. 1. Atrophy and Debility Total, Class IV		-	-									•••					49	40		281	8	183
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE 1. Fractures & Contusions 2. Wounds { a. Gunshot } b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	5 4	7 1 1 5	 5 1 1 7	2 4 3 2		6 1 3 2 1 17 	7 7 1 10 	14 2 2 2 4 	27 1 1 1 1 1 10 1	25 3 1 2 2 1 14 	12 2 2 11 2	20 1 1 9 1	14 3 2 9	21 2 4 8 1	14 1 1 1 2 12 	8 1 5 	7 1 1 1 3 2 1	5 1 2 2 1	2 1 1 1 1 2 1	4 1 1 1 2 1	7 1 4 2	199 21 9 33 14 24 3 137 10 7
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise						30				48		33			31		16		9			457
ORDER 3.—HOMICIDE.												b		•								
1. Murder											•••	1		1								2 2
ORDER 4.—SUICIDE. 1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									 2 1	2 1		3 1	2	1	 1 1 1	1 2		1 		2 1	1	3 7 3 9 5
Order 5.—Execution. 1. Hanging									3	1	1	4	2	1	3	3	2	1		3		1
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)	}																					
Total, Class V	12	17	14	11	1	30	25	24	47	52	30	38	30	38	34	17	18	12	9	13	15	487
Causes not specified, or ill- defined														1	_1			1			6	9
GRAND TOTALS	1,065	277	106	62	54	134	82	99	154	173	146	185	184	206	212	155	241	222	240	395	62	4,454

G 2.

Deaths from all causes, of Females, at different ages, registered in the Country Districts, from 1st January to 31st December, 1883.

						0	100	Dece		,								1		1		1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhea 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	2 4 6 8 12 5 9 11 13 83 9 	3 2 8 1 9 7 5 1 6 30 4 1 1	2 3 11 10 2 5 1 1 3 2 1		1 15 11 1	 5 33 10 11 1 1	 	2 19 1	 1 	9 1 1 1 1 1 	77	3 3 1 1 1 1 1 1 2	11		 4 3 	4 2 2 1 2 2		2			3 1 	2 10 19 101 1 55 22 114 15 11 16 32 130 18 1 4 13 4
Order 2. 1. Syphilis	2 2													1 1	8						4	3
Order 3. 1. Privation	6					1 1 2	1 1			 1	 1	2 2		1 1 		 2 2	 1				 1 1	3 6 1 1 8
ORDER 4. 1. Thrush	10	1 1 78	41		1 1 34		27		20				 1 1 12									11 1 1 13
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification					1	1			1 1 	10 1 2	1 1 1 	 2 1 2 	3 3	 4 7 1	 2 8 3	5 4 1 	6 5	5 6 	 1 3 1	3 1 3 1 		 33 40 13 2 5
ORDER 2. 1. Scrofula	22 4 9	14 2	1	1 1 	1	1 6 	 7 1	12	25	3 25 1	24	1 17 1	 6 15 	13	 2 1	11 8	11 4	11	5 1	5	5	93 93 39 167 10 4
Total, Class II	35	17	3	1 2	1 3	6 7	8	12	25 27	26	24 26	19 24	15	9 22	3 16	8 19	4 15	1 12	1 6	5	5	223

G 2—continued.

							ч	4	-00111	tinue	u.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c		10 1 40	3 6 2	2	1	5 1 1 4 	3 1 2	1 3	3 1 2 2 1	3 2 1 2	1	1 1 3 2	1 5 1 1 1 3	1 5 1 3 2	1 1 2	1 4 3 2	7 4 1 1	3 5 	3 1	 4 3 1	1 1 1	53 45 23 10 18 191 25
	172	51	11	2	1	12	6	4	9	8	2	8	12	13	6	10	13	9	5	8	3	365
ORDER 2. 1. Pericarditis	6					1 4	2 2	3	1 8	5	3	7	1 10 11	2 2	1 8	1 11 12	10	6	1 3	 ii 11		7 1 99 107
Order 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs, pulmonary 5. Asthma		1 31 20 3 1	1 11 6	2 6 4	 5 1	5 9 8	1 4	3 6	 1 2 11	 2 11 1	 1 1 16 3	 4 2 13	2 2 4	1 5 1 1	3 4	 5 3	12 2 1	 12 1 5	5 2 6 1 3	7 4 2	 1 3	11 161 16 155 29 13
6. Lung Disease, &c			1					1								1	1					3
	75	56	19	15	6	22	7	12	15	15	21	19	9	9	9	9	16	19	17	13	5	388
Order 4. 1. Gastritis	222 277 4 1 1 2 3 4 64	13 6 1 1 	1 3 1 1 1 1 1 1 1 7	3 1 1 1		3 2	1 1 1 1	1 9 1	3 3 1	3 2 1 2	1 3 3 3 1		1 2	3 4 1 1 1 4 1 1 1	3 1 1 1 1 1 1 2 4	1 1 1 1 2 5	1 3 2 1 1 3 11	2 1 1 1 1 1	2 1 2 2			59 71 17 4 4 3 8 1 11 13 7 30 1
Order 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	1 1					1		 1 	2 1 3	1 1	1 1 1 3	6	1 2 1 4	1 1 1 3		2 1 1 4		 2 1 1 4	1 2 2 5	 1 		10 1 18 4 1 3
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c									1 2 —		 2 2	1	2			1					1 1	3 7
ORDER 7. 1. Arthritis				1					2 2											1		1 3 4
ORDER 8. 1. Phlegmon	2								 1 1		 1					1 						1 4 5
TOTAL, CLASS III	320	128	37	24	7	46	21	33	53	37	42	46	48	42	38	48	50	43	36	37	9	1,145
			1																			

G 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	78 1 1 7 46			 																		78 1 1 7 87
ORDER 2. 1. Paramenia		41						 1	1 14	20				2			•••				5	174 1 84
Order 3.		•••			•••	•••		1	15	20	12	17	13	2				20		112	5	85 209
ORDER 4. 1. Atrophy and Debility	159	16	1					•••									33	20	42			176
Total, Class IV	292	57	1					1	15	20	12	17	13	2			33	20	42	112	7	644
CLASS V.—ORDER 1. ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds $\begin{cases} a. & \text{Gunshot} \\ b. & \text{Cuts} \end{cases}$ 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1	1 6 2 4 2	2 1 1 1 	6 1 4	1 2	4 3 2 1 5	1 3 6	 3 2 3	2 3 1 2 3 	1 1 1 	4 1 1	1		4 1 1 		 1 1 	 1 1 	 1 1 		1 1 1 1	 2 1 	25 1 1 41 4 12 1 32 11
	16	15	6	11	3	15	10	8	12	4	6	2		6	2	2	2	2		4	3	129
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise):: ::									
ORDER 3.—HOMICIDE.	•••																					
1. Murder			•••					•••														
ORDER 4.—SUICIDE. 1. Wounds (Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise												1 1 1										 1 1 1 2
ORDER 5.—EXECUTION. 1. Hanging	-	-	,		-																	
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)	}																					
Total, Class V	16	15	6	11	3	15	10	8	12	4	6	4		6	2	2	2	2		4	3	131
Causes not specified or ill-defined						1			1	1			1	1			1				2	8
GRAND TOTAL	845	295	88	70	47	134	66	78	128	107	98	103	95	81	64	82	105	81	88	161	31	2,847

G 3.

Deaths from all causes, of Both Sexes, at different ages, registered in the Country Districts, from 1st January, to 31st December, 1883.

		1	1	1	1 1	1	1 1				1	1			1				1		-i	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever)	2 11 1 9 2 29 29	 5 5 15 5 22 10 8	 3 5 32 1 28 4	 1 11 27 2 19 	 4 24 24 1	 2 8 47 1 27 	 1 18 1 1 	3	 1 	 2 	 1 2 	1 6	 2 2 		 1 	 1 	1 3	 1 	 1 			2 24 36 184 16 150 44
8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	16 21 28 181 20 1 	2 13 63 9 1 	1 4 7 2 1 1 	2 3 1 		3 3 3 4 	2 1 1 4 1 53	1 1 1 1 1 2 2	3 2 2 	1 1 1 1 2 2 	2 1 1 2 2	1 2 2 3 1 1 3 	1 2 1 2 2 1 2 	1 4 7 1 4 	 1 4 5 	2 3 6 1 3 	1 1 5 5 1 1 	 2 2 5 	1	2 2 4 6 1 	1 1 1 1 	26 11 1 38 82 308 40 1 9 31 7
ORDER 2. 1. Syphilis	4										1 1		 1 1	1	1			1 1 				8 3
ORDER 3. 1. Privation	 16 					1 1 2	1		1	1 1	5	1 7 8	3 1 4 8	2 2 1 5	1 1 6	3 1 4 8	6 3	3 1 1 5	1 1 	1 1 2	4 4 8	28 16 2 8 37 91
ORDER 4. 1. Thrush	21	2 2 160	1 1	68	1 60	116	 1 1 55	2 2 49	43	37	1 32	28	2 33	 1 1 28	1 30	30	28	22				$ \begin{array}{c c} 24 \\ 1 \\ 8 \\ \hline 33 \\ \hline 1,372 \end{array} $
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	3	3 1 1 1	2 1 	 1 1	 1 1 	 2 2 1 1	1 1 1		 4 1 	2 2 2 6	 5 1 2	5 6 3 1'	5 8	7 17 2 1 27	7 16 5 3	12 13 1 4	16 18 2 2 38	8 18 1 1 28	 6 12 1 1	7 11 1	1 1 2	93 127 22 3 21
ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	3 54 10 18	1 26 6 5	1 3 3	1 	1 2	10	1 8 2	29	53	67 1 1	62	1 55 1 57	1 46 	1 32 2 1 36	25 1	21 2	11	9	3	1 1 1	8	13 84 459 3 25 11
Total, Class II	85	38 44	$\frac{7}{10}$	3	3 	16	11 14	30	54 59	69 75	72	72	60	63	57	23 	49	37	22	22	10	861

G 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	40 12 1 341 9	18 2 70 1	5 11 5	4	3 1 2 	10 2 1 7 6	5 1 2 4	3 1 4 2	4 1 2 1 4 8	3 5 1 2 2 10	2 3 2 2 6	7 3 7 3 5	1 8 8 3 7 9	2 10 12 5 5	5 8 4 4 	3 13 6 8	1 17 13 2 1 3	1 8 17 4 8	10 8 1 2 7	9 14 2 3	1 4 1 	106 115 99 27 51 422 111
Order 2. 1. Pericarditis	 2 14	91		4	6 1	26 1 6	3 5	10 7	1 18	8	15	25 1 4 26	36 5 1 25	39 3 25	1 1 33	30 4 32	37 1 42	38 1 3 35	28 2 3 24	28 20	7 2	931 15 23 332
ORDER 3. 1. Laryngitis	16 122 2 63	1 53 39	1 19 12	2 12 6	3 8 6	6 18 1 16	8 1 7	7 3 3 16	19 3 3 27	8 1 7 26	9 1 3 29	31 6 5 34	31 7 2 24	28 8 3 27	35 9 2 22	36 12 1 11	28 4 8	39 26 2 16	29 15 2 17	20 25 10	2 2 2 8	370 17 379 42 424
Lungs, pulmonary 5. Asthma 6. Lung Disease, &c	18 2 3 214	8 1 102	1 33	3 1 1 25	2 1 20	42	2 1 11	1 2 1 26	2 35	2 2 1 39	$ \begin{array}{c} 4 \\ 2 \\ 2 \end{array} $ $ \begin{array}{c} 41 \end{array} $	2 3 1 51	2 3 1 39	2 6 46	3 1 37	2 4 2 32	1 4 2 47	2 3 1 50	1 7 1 43	5 1 41	13	64 42 19 987
Order 4. 1. Gastritis	53 8 1 1 7 3 6	14 14 1 1 	1 4 1 1 1 1 1 1	3 4	2 1 	3 5 1 1 1 1	1 4 3 1 	1 12 2 1 1 2 2	3 8 3 1 2 1 1 1 1	7 3 1 1 3 1 16	1 7 3 1 1 2 3 18	1 2 1	2 3 2 1 1 3 1 13 	3 6 2 1 1 2 5 1 8 	8 2 2 1 3 2 4 2 10 34	1 4 2 1 1 4 1 9 23	3 6 3 2 3 1 1 8 1 28	4 3 2 1 3 1 1 1 2 5 1 1	4 2 1 2 2 1 1 3 14	2 1 3 1 7	 1 1 1 	87 151 43 7 5 11 21 5 1 18 32 21 71 2
ORDER 5. 1. Nephritis	1					2 1 3	1 1 1 3	19 1 1 1	2 1 1 1 5	3 1 1 5	2 1 2 1	10 10 1	1 3 1 1 2 8	1 2 1 2 — 6	1 1 5 2 2 1 1 1	2 3 2 1 2 2 2 	2 2 1 1 4 10	7 2 3 3 —————————————————————————————	4 1 3 3 1 1 1 3 	3 2 2 1		22 3 45 14 6 13 20 ———————————————————————————————————
1. Ovarian Dropsy 2. Uterus Disease, &c ORDER 7. 1. Arthritis							1	 2	3		2 2	1	2 2		 1	1					1 1	3 7 10 5
ORDER 8. 1. Phlegmon	6			1	1		1	2	2 1		 1				1	 1	1 	 1		1		8
Total, Class III	770	223	63	39	32	90	44	65	105	91	92	129	142	148	152	135	166	169	130	105	26	2,916

G 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations. 5. Teething	2	78																				182 2 1 17 174
	298	78																				376
ORDER 2. 1. Paramenia 2. Childbirth (see Metria)								 1	1 14	20		17	13	2							5	1 84
							à	1	15	20	12	17	13	2							5	85
Order 3. 1. Old Age																	82	60	152	393	10	697
ORDER 4. 1. Atrophy and Debility.	322	35	2																			359
Total, Class IV	620	113	2				-,	1	15	20	12	17	13	2			82	60	152	393	15	1,517
CLASS V.—ORDER 1. ACCIDENT OR NEGLIGENCE. 1. Fracture & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1 8 1 2	3 13 1 3 9 3	 7 1 2 1 8 1	2 10 4 6 	2 2 2	10 1 6 4 2 22	8 7 3 1 16	14 2 5 2 2 7	29 1 1 4 2 3 13 1 2	26 3 1 3 3 1 15 	16 2 1 2 12 2	21 1 2 1 9	14 3 2 9	25 1 1 2 4 8 1	14 1 1 1 2 1 13 	8 1 1 5 1	7 1 1 2 3 2 2	5 2 2 3 1	2 1 1 1 1 2	5 2 2 1 3 1	7 1 2 5 2	224 22 10 74 18 36 4 169 21 8
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds							35															586
ORDER 3.—HOMICIDE. 1. Murder						•••						1		1								2 2
ORDER 4.—SUICIDE. Gunshot 1. Wounds Cut, Stab,										2		3				1						3
2. Poison							***		2		1	1 1 1	2	i	1 1	2				2 1		9 6
									3	3	1	6	2	1	3	3	2	1		3	1	29
Order 5.—Execution. 1. Hanging										1												1
Violent Deaths, not classed (Open Verdicts—Found Drowned, &c.)																						***
Total, Class V	28	32	20	22	4	45	35	32	59	56	36	42	30	44	36	19	20	14	9	17	18	618
Sudden Deaths (cause un- ascertained)																						***
Causes not specified or ill- defined						1			1	1			1	2	1		1	1			8	17
GRAND TOTALS	1,910	572	194	132	101	268	148	177	282	280	244	288	279	287	276	237	346	303	328	556	93	7,301

H.
Summary of Deaths of Both Sexes, registered in the Colony of New South Wales, during each month of the year 1883, classified under the heads of the several causes of Death.

	Janu	iary.	Febr	uary.	Mai	rch.	Ap	ril.	Ma	ıy.	Jui	ne.	Jul	ly.	Aug	ust.	Septer	mber.	Octo	ber.	Nove	ember.	Decei	mber.	То	tal.	al.	e of ths of
CAUSES OF DEATH,	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Percentage c total Deaths
I.—Zymotic Diseases. 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	$\frac{1}{18}$	1		1 5	2 16	6	3 9	3 4	6	4	 8 4	71 4 1	55 1 8 2	48 5 1	58 2 7 1	57 3 2	1 8	2 2	3	77 1 4 2	1	2	1	1	20 123	56	2,062 31 179 51	1.4
Total II.—Constitutional Diseases. 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)		21		14	22		24	13	16	17		17	66 22 51	13			15		23	12	20	13	14		250	1067 188 537	438 1,230	
Total III.—Local Diseases. 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity,	65		75						75								77					58				725		
Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)	35 78	13	24		34	14	30	11	40	29	40	8		58 24		72 24	41	18	41	14	38	13		30	431	209	1,594 640	5.5
4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus	35 13	48	,	35		39	63	43	51	30	34	42 29 10		33	119 22 13	27 9	22	24	104 45 11	30		37	43	46		630 421 73	1,528 886 215	7:
Disease, &c.) 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	₁			1	₁	1 2	₁		2	₂		1	1	2			₁	2	1			2		₁	 8	11 6	11 14 24	
Total	258	158	175	138	228	151	250	163	239				231						274					196			24	
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility).	36 56 49	4 24	44	24 7 34 39	45	7 22	37	16 25	25 48 25	17 19	18 51 30	17 33	66	8 22		5 36	41	$\begin{array}{c} 4 \\ 24 \end{array}$	47	4 29	25 39 34	9 17	33	6 17	566	275 104 302 416	611 104 868 832	7.0
Total	141					-					99								112	89	98	100	138	104	1318	1097		
Suffocation, Wounds, &c.) 2. Violent Deaths not classed 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	1	17 	73 4 3	11 1 	47 2 2 2 	13 1 	39 2 2 1		40 1 3 1	 1 1	31 3 1	11 1 	50 7			16 1 	28 5		44 1 11	1 1			65 3	15 1 1 1	13 10	7 3	763 15 17 54	
Total		17				14		10		18	35		57	13	57	17	33	14	56	12	62	24	68		669	181		
Unspecified Totals from all causes	2			3	9	127	3	3	500		4	5	3		4	5				4	2		5				81	

Table showing the Deaths which have occurred from the causes stated, in each of the several Wards of the City of Sydney, from 1st January to 31st December, 1883, distinguishing those under Five years of age.

SYDNEY, from				-					1																	
CAUSES OF DEATH.	Gip	pps.	Bour	rke.	Brish	oane	Maco	luarie	Co	ok.	Fitz	roy.	Phi.	lip.	Den:	ison.		То	tal De	eaths f	rom ea	ach car	use in	Sydne	ey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1883.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.
CLASS I.—ORDER 1.																										
1. Small-pox																		15	3				4			
1a. Chicken-pox 2. Measles	1	•••	1						1			1					1 10			 144				1	 162	62
3. Scarlatina			1							1			1		1 2	1	2 13	3 8	8 9	16 8	13 12	3 17	4 20	$\frac{206}{17}$	105 36	37 12
4. Quinsy							2		9	1			5	1	1 6	4	34	20	3 16	$\frac{1}{2^{\circ}}$	4 0	$\begin{array}{c} 1 \\ 34 \end{array}$	3 17	$\frac{3}{34}$	4 27	5 16
6. Whooping-cough 7. Typhoid (and Infantile			1		•••		1				1						3	13	16	48	3	92	15	1		21
Fever)	2	5		24								5]		8	3 2	9	77	96 7	58 5	54 7	77 6	103 4	61 11	77 19	75 26	39 18
9. Metria (see Childbirth) 10. Carbuncle																		2	7	6	3 2	2	2	11	18	23
11. Influenza 12. Dysentery								2		1								1 14		23	1 29	35	12	14 15	6 29	2 15
13. Diarrhœa	10		1	13			2	1	30		9	2	13	1	26	5		184 16	141 13	173 19			157 16	133 18	208 20	159 17
15. Ague									•••									2	1 2	1 1	1 6	2	1	2 4	6	3
17. Rheumatism										4	-	1		1	•••	2	8	5 2	10		16	13 2	12 2	11 5	14	9
18. Pyæmia	•••			1				1		2							4			1		1		1		
	18	5	7	46	6	4	9	10	47	24	11	1i	24	12	51	20	305	392	312	539	394	475	337	572	748	440
ORDER 2.	1			0	1				0		1		_	-			1.0	15	-	10	0	0	0	11	9	6
1. Syphilis					1								4	1			13	17 1	5	10	8 5	9	9	11 6	3	3
	1			2	1	٠			3		1		4	1			13	18	5	20	13	10	12	17	12	9
ORDER 3.				-													0							-		1
1. Privation			3		1				-		4		1				20	25	18	6	13	24	31	38	29	22
3. Purpura and Scurvy 4. Alcoholism—		• • • • • • • • • • • • • • • • • • • •	1												•••		2	2	2	•	2		4	2	2	4
a. Del. Tremens b. Intemperance				3 6		3		4				6				2	5 30	21 39	14 46	23	16 23	8 31	37	7 35	17 20	7 8
5. Rickets																		1	1		•••	1		•••		
	1	1	4	10	1	3	2	4	7	7	4	6	1		2	6	59	88	81	43	54	64	74	83	68	42
ORDER 4.	1								2		1				4			6		1		6	3		7	4
2. Worms, &c											1						2		2	5	3	6	1 4	1 3	2	3
	1								2		1		2		4		10	8	3	11	7	12	8	4	9	7
Total, Class I	21	6	11	58	8	7	11	14	59	31	17	17	31	13	57	26	387	506	401	613	468	561	431	676	837	498
							The same of the sa				1															
CLASS II.—ORDER 1.							TO THE PERSON NAMED IN																			
1. Gout				1				,,,	9	()	6			3			1 27	2 31	1 29		7 29	4 28	4 47	3 50		1 9
2. Dropsy		. 4		10				2				12				7	49	55 11	44	52		41 11	33	48		49
3a. Tumour												2					5	1		1 1		2		2		
4. Noma				1					1			1					3	3	2			4	3	3	3 4	1 4
	3	3 6		15		2		3	2	20		17		4	3	10	85	103	86	104	88	90	96	110	71	65
Order 2.			1				-		-								0		0	9		0	10	<u></u>	-	70
1. Scrofula 2. Tabes Mesenterica	3	3					2		14		7		2	1	15		49	40	41		59	8 61	10 41	60		12 48
3. Phthisis	2	17		7	1					43				1			227	1	4		5		6	3		
4. Hydrocephalus 5. Abscess									4		-	1					14	7 10	9	1		1	7 2	19		17
		17	1	69		11		12		-	12	36	5	15	21	2(303	349	293	297	321	263	232	292	285	242
Total, Class II		23		84	3	13	2	15	22	65	12	-53	5	19	24	36	388	452	379	401	409	353	328	402	356	307
Today, Omes II Till																										
		-			-	-																				

I—continued.

	Gip	ps.	Bour	rke.	Brisb	ane	Macq	uarie			Fitz		Phi	ilip.	Den	ison.	Control of the Contro	To	tal D	eaths	from e	ach ca	use ir	ı Sydı	iey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1883.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.
CLASS III.—ORDER I. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c		1 1 3	 4	14 8 2 9	1 8	6 2 1 2	2 12 1	1 2 1 1	9 39 1	2 13 5 1 9	3 2 12 	2 6 3 3 1 4	26	1 5 2 4 ———————————————————————————	8 24 2 	 4 3 1 1 2 —————————————————————————————	38	48 57 25 4 20 110 31	48 74 30 1 27 114 37	$ \begin{array}{r} 53 \\ 47 \\ 35 \\ 2 \\ 1 \\ 17 \\ 157 \\ 45 \\ \hline 357 \\ \end{array} $	54 34 13 118	52 57 20 2 17 116 46 310	50 61 40 -2 12 79 34 -278	$ \begin{array}{r} 44\\ 45\\ 37\\ 3\\ 1\\ 15\\ 112\\ 36\\ \hline 293 \end{array} $	61 67 24 2 9 106 41 310	2 15 116 51
Order 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c				8 42				1 6 -7	•••	24		 1 24 25		11			5 9 130 144			$ \begin{array}{r} 4 \\ 8 \\ 128 \\ \hline 140 \end{array} $	$ \begin{array}{c} 6 \\ 8 \\ 121 \\ \hline 135 \end{array} $		5 10 84 -	$ \begin{array}{r} 4 \\ 7 \\ 115 \\ \hline 126 \end{array} $		6 7 91 104
Order 3. 1. Laryngitis	1 1	3		1 26 1 1 3	3	 4 1	1			 9 6 2 2	 5 2 1	1 7 8 1 	10 3 1 	8 1 1	6	1	2 86 24 4 7	8 133 14 115 32 8 10	3 120 7 88 28 7 3	4 148 11 110 81 10 10 374	$ \begin{array}{r} 7 \\ 93 \\ 8 \\ 64 \\ \hline 25 \\ 4 \\ \hline 11 \\ \hline 212 \end{array} $	11 94 10 71 31 5 4	6 85 8 74 22 1 10 206	6 108 14 82 19 3 11 243	15 106 13 11 11	$ \begin{array}{c} 7 \\ 104 \\ 9 \\ \hline 233 \end{array} $
Order 4. 1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Heus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c. 12. Pancreas Disease, &c. 13. Hepatitis 14. Jaundice 15. Liver Disease, &c. 16. Spleen Disease, &c.	3			1 1 1 1 7 ····		2		1		5 	2 1	1 5 2 1 2 1 5	1	1 1	1	 4 1 1 1 1 3	30 	49 30 16 5 1 9 4 3 9 11 12 39 	27 47 13 7 3 5 9 2 3 3 12 6 18 	22 58 17 6 10 7 1 2 8 15 8 24 	7 45 1	22 59 7 8 1 5 5 1 3 11 31 23 	26 22 16 3 4 6 3 2 5 27 5 28 	22 29 13 4 2 3 1 2 1 31 7 32 	35 38 20 4 3 3 8 3 2 7 	14 36 13 4 2 2 2 2 2 7 5 41 1
ORDER 5. 1. Nephritis			2	1 14 2 1 		1		1 2		1 5 1		8	1	1		3 2	35 35 3 1 1 10	9 44 4 1 3 11	3 1 44 3 1 4 18	9 2 46 4 1 8 15	40 3 2 6 11	3 1 39 1 1 7 18	111 30 3 5 10	12 44 1 1 3 11	10 32 4 3 8 12	7 2 37 2 2 3 18
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c												8 1 1						72 4 5 9	74 1	85 3	1 3				69 5	71 5
ORDER 7. 1. Arthritis				1		1				1							2 2 4	3 3	1 1 2 —	2 2	3	1 1 	2 2 	3 2 5		1
ORDER 8. 1. Phlegmon						1			1	1	1				1			 4 5	2	1 2	₃	1	2	1 3	$ \begin{array}{c} 2 \\ 1 \\ 2 \\ \hline 5 \end{array} $	
Total, Class III	-	6 46	4	171				-												<u> </u>	953					877

4	Gip	ps.	Bou	rke.	Bris	bane	Macq	uarie	Co	ok.	Fitz	zroy.	Phi	llip.	Den	ison.		To	otal De	eaths f	rom e	ach Ca	use in	Sydn	ey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1883.	1882.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	3 3		1		1				13 2 4 3		 1 5		11 2		 1 8	•••	55 8 1 6 29	11 11	7 1 5 19	10	3 3 23	9 3 8 30	6 2 6	5 3 5 35	5 41	2 2
ORDER 2. 1. Paramenia				1				_1		1		3		2			9		17			13		$\frac{2}{17}$		4-4-
ORDER 3. 1. Old Age		2		25		4		3		15		10		7		11	77	62	63	68	76	78	56	69	61	51
ORDER 4. 1. Atrophy and Debility Total, Class IV	-	-	-		-						-										129 285				$\frac{162}{371}$	
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a Gunshot		3	1	34		2	1	3	1	2 1 1			2 1 1	4	 1 1	4	57 1 3 1 2 15 6	68 3 11 3 1 17 5	90 5 9 7 1 12 9	66 7 8 2 8	44 3 11 2 2 15 4	51 2 6 16 3 3 4 11	40 1 6 4 1 15 8 	35 4 22 1 12 6		
ORDRE 2.—VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																										
ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter				2		_ 1		1	1		1			1	1		7 8 ———————————————————————————————————	8 4 ———————————————————————————————————	5 4	3	5	6 4 10	$-\frac{6}{7}$	2 8 10	3 2 5	8 4 12
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison	•••	1		1 1 1						1		1					2 2 2	1 2 4 2 2 	3 3 2 2 3	2 5 2	1 4 3 1 	 4 2 1 	4 1 3 2 	1 5 4 2 1 1	1 5 4 1 3 1	 4 2 1 3
Order 5.—Execution. 1. Hanging																			1	2				1	1	
Violent Deaths (not classed) Open Verdicts—Found Drowned, &c			4		-																20					-
Causes not specified or ill- defined		2	1	15		4		2	1	8		7		7	4	7	58	49	51	60	29	38	38	55	19	15
GRAND TOTAL	74	88	33	412	41	63	54	67	241	226	101	189	168]	104	228	144	2233	2525	2246	2740	2266	2321	2000	2491	2673	2077

J.

BIRTHS and DEATHS occurring at Sea, in the Colony of New South Wales, from 1st January to 31st December, 1883.

		Birt	hs.			Deaths.	
	Males.	Fema	les. Tota	il. Ma	ales.	Females.	Total.
Sydney	25	2	6 5	51	84	53	137

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar. The Registrar-General	Date of Appointment.		District.	Name of Registrar.	Date of Appointment.	
Sydney		15 Dec.,	1870	Eden	J. W. Lees, C.P.S., Assistant	1 July,	188
Balmain	William Parker	1 April,		Eddi	D.R.	20 01),	100
eichhardt	J. S. Hellier, Assistant D.R	1 July,		Emmaville	W. E. Henry, C.P.S., Assistant	29 April.	188
anterbury	M. B. Young	1 April,		Zimiavine	D.R.	r,	
shfield	George Watson, Assistant D.R.	1 May,		Forbes	D. E. Troughton, C.P.S	17 July,	188
Petersham	Alfred Newman, Assistant D.R.	1 June,		Glen Innes	P. Le Jeune, C.P.S		188
Hebe		8 May,		Grafton	Wm. Clarke, C.P.S.	1 April,	
Newtown	Charles Alfred Newman	1 April,		Grenfell	Wm. H. Hazelton, C.L.A		188
Paddington		•		Greta	Thomas Jones	1 April,	
Randwick		4	"	Gulgong	W. Le Brun Brown, C.P.S.,	23 May,	
		1 Feb.,	1882	Guigong	Assistant D.R.	20 may,	100
Vaverley				Cundagai	C. W. Weekes, C.P.S	1 Nov.,	100
Voollahra		15 Aug.,		Gundagai	W. C. Lawson	31 Dec.,	
Redfern		1 April,			J. F. Kenyon, C.P.S., Assistant	1 April,	
Vaterloo		12 Mar.,		Gunning	D.R.	i Aprii,	,
t. Leonards	Robert Dalzell Ward, M.R.C.S.	1 April,		Шот		21 July,	188
Ianly	Æ. M. Stephen, Assistant D.R.	1 ,,	"	Hay	G. F. Scott, C.P.S.		
delong		1 ,,	,,	Hill End		17 May,	188
Albury	Charles A. Conley, Acting D.R.	1 Feb.,	1882	TT:11 4	D.R.	7.4	
Hume	2	,		Hillston	Michael Hogan, do	1 Aug.,	100
Argyle	L. W. A. Macarthur, C.P.S	1 July,	1883	Hunter	G. H. Smithers, C.P.S	5 Mar.,	188
doulburn				Inverell	W. C. Cardew, C.P.S	1 April,	
Armidale			1882	Jerilderie	A. D. Fowler, Assistant D.R	1 Dec.,	
Balranald		22 Feb.,	1883	Kempsey	C. A. Grubb, C.L.A.		188
	D.R.			Kiama	Henry Connell, C.P.S	1 April,	188
Barmedman		1 Oct.,	,,	Lambton	W. T. Dent	1 ,,	,
Bathurst				Lismore	C. Coghlan, C.P.S., Assistant	17 ,,	188
East Macquarie	C. Grant	1 April,	,,		D.R.		
West Macquarie)			Lithgow	W. P. Macdermott		188
Bega		29 Dec.,	1882	Liverpool	William Long, Assistant D.R	1 ,,	,
Bellinger River	T. C. K. M'Kell, C.P.S., Assis-	11 Mar.,	,,	Lord Howe Island			188
	tant D.R.			Maclean	J. W. Madgwick		188
Berrima		1 April,		Maitland East	G. H. Smithers, C.P.S.	5 Mar.,	188
Bingara	P. Brougham, C.P.S., Assistant	1 Jan.,	1882	Maitland West	Thomas Hughes	1 Jan.,	188
	D.R.			Manilla	D. E. Veness, Assistant D.R	1 July,	,
Bombala	O. A. Willans, C.L.A., Assistant	1 May,	1884	M'Donald River	T. J. Thompson, do	1 April,	
	D.R.			Menindie	J. W. Day, Acting D.R	28 June,	
Bourke	W. Chisholm, C.P.S.	19 Mar.,	1883	Merriwa	A. M'Rae, C.P.S., Assistant	1 Oct.,	
Braidwood		25 July,			D.R.		
Brewarrina		5 May,		Millfield	Edwin Hinchcliffe	1 July,	
	tant D.R.	,		Milparinka	C. M'A. King, C.P.S., Assistant	1 April,	188
Brisbane Water	A. T. Kingsmill, C.P.S., Assis-	1 April,	1881	1	D.R.	1 ,	
	tant D.R.	1,		Milton	John T. Hobbes, Assistant D.R.	11 Jan.,	188
Bundarra		1 Feb.,	1883	Minmi	John E. Fenwick, Assist. D.R	1 May,	188
Burrowa		1 Sept.,		Moama	L. S. Donaldson, C.P.S., Assis-	1 April,	
Camden		1 April,	1881	Diodina	tant D.R.	- mpin,	100
	Henry A. Smith, C.P.S., Assis-			Molong	Henry J. Jeffreys, C.L.A	1 Oct.,	186
campuentown		10 1101.,	1002	3-	J. Teas, Assistant D.R.		
Caracan	tant D.R. W. B. Warner	1 Annil	1991	Moree Morpeth	James Keating	1 April, 1	100
Uarcoar Casino		1 April,			W. H. Thomas, C.P.S., Assistant	1 "	,
			,,	Moruya		1 ,,	1
Cassilis	W. M. Macfarlane, C.P.S., Assistant D.R.	4 Mar.,	"	Moulemain	D.R. Thomas Linton, Assistant D.R.	28	
Central Cumberland				Moulamein	Wyman Brown, C.P.S., Assis-		10
	George Wickham C.P.S	1 April,	,,	Silverton	tant D.R.	22 Aug.,	10
Parramatta	James Lyall	-		Mudges		1 4 1	10
Clarence Town		1 June,	1009	Mudgee	F. S. Isaacs, C.P.S.	1 April,	18
Coba r	F. S. Osborn, C.P.S., Assistant D.P.	16 Aug.,	1000	Murrumburrah	C. Cutliffe, C.P.S., Assistant	1 ,,	
Condobalin	tant D.R.	7 T.1		M.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D.R.	1	
Condobolin		7 July,	1000	Murrurundi	G. R. Evans, C.P.S	-	
Dooma		29 Sept.,		Muswellbrook	T. Foley, C.P.S.	1 ,,	10
Coonabarabran		1 April,		Nambucca River		0 /	18
Coonamble		1 ,,	"	Narrabri	C. E. Smith, C.P.S	1 April,	18
0 - 1 1	tant D.R.	1		Narrandera	J. S. King, C.P.S., Assistant	1 ,,	
Cootamundra		1 ,,	1,000	NT	D.R.		
Copeland		2 Jan.,	1883	Newcastle	John Burrowes		
7	tant D.R.	7 4	100	Nundle	S. Kermode	1 ,,	
Cowra	W. B. Simpson, C.P.S., Assistant	1 April,	1881	Nymagee	Samuel H. Smith, Assist. D.R.	1 ,,	18
	D.R.			Orange	W. T. Evans, C.P.S	1 ,,	18
Crookwell		1 ,,	,,	Parkes	W. C. Weston, C.P.S., Assistant		
	tant D.R.				D.R.		
Deniliquin		1 ,,	,,	Paterson	W. C. Rodgerson, C.P.S., Assis-	1 ,,	18
Denman		1 Oct.,	1884		tant D.R.	,,	
	D.R.			Patrick's Plains.	F. J. Robinson	1	18
Dubbo	Luke M'Guinn, Assistant D.R.	1 April,	1884	Penrith	J. K. Cleeve, C.P.S.	1 "	
		1 ,,	1881	Picton	W. R. Antill, Assistant D.R	1 "	
Dungog						1 ,,	

K—continued.

District.	Name of Registrar.	Date of Appointment.		District.	Name of Registrar.	Date of Appointment.	
Queanbeyan	R. Maunsell, P.M., Assistant D.R. C. H. Emery Chas. R. Middleton, C.P.S., Assistant D.R. R. H. Ducker, Assistant D.R David Moffit, do G. M. Pope, C.P.S., Assist. D.R. W. W. Armstrong, C.P.S., Assistant D.R. H. J. Leary W. Lovegrove, C.P.S. John P. Hayes, Assistant D.R. T. Laman, C.P.S. J. S. Willard, Assistant D.R. J. M'Donald, C.P.S. J. A. Creagh, C.P.S. R. Zouch, C.P.S. James H. Tompson, C.P.S. A. B. Hilton, Assistant D.R Joshua Bray, C.P.S., Assistant D.R Joshua Bray, C.P.S., Assistant D.R	22 May, 1 Jan., 1 April, 1 ,, 1 ,, 1 ,, 1 ,, 1 April, 19 June, 1 April, 1 ,, 1 ,, 1 ,, 28 Aug., 1 April,	1883 1882 1881 "" 1883 1881 "" "" 1883	Wagga Wagga Walcha Walgett Wallsend Warialda Wellington Wentworth Wilcannia Windsor Wollombi Wollongong Woonona	J. M. Sheahan, C.P.S., Assistant D.R. H. H. Lublin, Assistant D.R E. H. Tompson, C.P.S. Edward Marriott, C.P.S., Assistant D.R. James Millar, Assistant D.R Thomas Alnwick, do T. H. Wilkinson, C.P.S. W. Carson, C.P.S. A. Hibble, C.P.S. W. B. Brown, C.P.S. W. H. H. Becke, C.P.S. Henry Gordon, C.P.S., Assistant D.R. Alfred A. Turner, C.P.S. Edward Ramsay, Assist. D.R A. Money Fisher, C.P.S.	20 "," 8 Dec., 1 April, 1 ", 27 May, 1 Mar., 4 Dec., 1 April, 1 Oct., 1 April, 1 ", 22 Feb.,	1883 1881 1883 1881 1882 1884 1882 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Sydney: Thomas Richards, Government Printer.—1884.